ATTACHMENT A

CARRIER-TO-CARRIER PERFORMANCE PLAN

- 1. SBC/Ameritech shall provide the Commission with performance measurement results,¹ on a monthly basis in an Excel spreadsheet format, demonstrating SBC/Ameritech's monthly performance provided to the aggregate of all CLECs in the SBC/Ameritech Service Area within each of the 13 SBC/Ameritech States, as compared to SBC/Ameritech's retail performance (where applicable) or as compared to a benchmark. SBC/Ameritech shall also provide the Commission, state commissions in the SBC/Ameritech States, and CLECs with access to SBC/Ameritech's Internet website, where these parties can obtain performance measurement results demonstrating SBC/Ameritech's monthly performance provided to the aggregate of all CLECs, as compared to SBC/Ameritech's retail performance (where applicable). SBC/Ameritech shall also provide the CLECs with access to SBC/Ameritech's Internet website where a CLEC can obtain performance measurement results demonstrating SBC/Ameritech's monthly performance provided to that same CLEC on an individual basis. All such CLEC-specific data shall be made available, subject to protective agreements, to the Commission on SBC/Ameritech's Internet website, and will be made available for review, subject to protective agreements, by state commissions in the SBC/Ameritech States.
- 2. SBC/Ameritech's implementation of the Plan does not limit either the Commission's or the states' authority regarding performance monitoring, in the context of applications for inregion, interLATA relief under 47 U.S.C. § 271 or otherwise.²
- 3. The performance measurements, benchmarks, and statistical methods utilized in the Plan were based upon those developed in the Texas and California collaborative processes involving SBC/Ameritech's applications for in-region interLATA relief. The performance measurement business rules in Attachment A-2a differ from those approved by the Texas state commission in the following respects:³
 - a. The Plan requires payments to be made to the U.S. Treasury on Measurements #4d, 7, and 13b at the Low level, while in the Texas plan no payments to the Texas State Treasury are made on these measurements;
 - b. The benchmark for Measurement #1 in the Plan does not require the average of the remainder to be within 20% of the benchmark:

The fact that these modifications were made should not be interpreted as reflecting the Commission's preference for these modifications over the business rules approved by the Public Utility Commission of Texas.

Deleted: 03/13/03
Inserted: 03/13/03
Deleted: 03/12/03

The Commission understands that these "performance measurement results" shall consist of data collected according to the 20 performance measurements discussed in this Attachment, and listed in Attachments A-1a and A-1b.

The Commission notes that SBC/Ameritech's Plan constitutes the Applicants' voluntary proposal for monitoring and remedying the specific potential public interest harms identified in the merger. In contrast, performance programs being developed by state commissions, particularly in the context of section 271 proceedings, serve a different purpose and may be designed to cover more aspects of local competition in order to prevent backsliding on requirements enumerated in section 271. See Order, Section VII.B. (Adopted Conditions).

- c. Measurement #16 in the Plan includes additional disaggregation for LNP and LNP with loop;
- d. The benchmark for Measurement #19 is 99% in the Plan, and 99.5% in the Texas plan; and

The performance measurement business rules in Attachment A-2b are those approved by the California state commission.

4. SBC/Ameritech and the Chief of the Common Carrier Bureau shall jointly review the 20 measurements on a semi-annual basis, to determine whether measurements should be added, deleted, or modified. SBC/Ameritech shall provide the Chief of the Common Carrier Bureau with notice of any changes to the design or calculation of these measurements adopted by the Texas or California state commissions. SBC/Ameritech shall incorporate such changes into the Plan in Texas and California, unless directed not to do so by the Chief of the Common Carrier Bureau within 5 days of receiving notice of such changes. The Chief of the Common Carrier Bureau shall, at the next semi-annual review, determine whether and when SBC/Ameritech shall implement such changes adopted by the Texas state commission in the remaining SBC/Ameritech States except for California and Nevada, and whether and when SBC/Ameritech shall implement such changes adopted by the California state commission in Nevada.

Performance Measurements

- 5. In each SBC/Ameritech State, the Plan shall consist of 20 measurements of performance that may have a direct and immediate impact upon a CLEC's end user customer. The 20 performance measurements are designed to demonstrate whether SBC/Ameritech is providing parity or benchmark performance in its Service Areas to each CLEC. Attachments A-1a and A-1b provide a list of the 20 performance measurements, and Attachments A-2a and A-2b provide a description of the definitions, exclusions, business rules, levels of disaggregation, calculation, and reporting structure for each of the 20 performance measurements.
- 6. Where SBC/Ameritech provides a CLEC with a service that has a retail analog, the performance SBC/Ameritech provides to its own retail operations within a state shall be compared with the performance SBC/Ameritech provides to the CLEC within the same state to determine if parity exists. Where SBC/Ameritech provides a CLEC a service for which there is no retail analog, the performance SBC/Ameritech provides to the CLEC within a state shall be compared with a benchmark.

| Deleted: 03/13/03 | Inserted: 03/13/03 | Deleted: 03/12/03 | Inserted: 03/12/03 | Inserted: 03/12/03 |

The Commission reiterates that SBC/Ameritech's selection of these 20 measurements for the purposes of this merger-related Plan has no necessary bearing on the appropriate scope of a performance assurance plan designed in the section 271 context.

7. Generally accepted statistical analyses – i.e., modified Z-tests and a critical Z-value – shall be utilized to determine whether SBC/Ameritech is in parity or has met the benchmark. Attachment A-3 provides a description of how these statistical analyses shall be used.

Voluntary Payments

- 8. The Plan shall also consist of voluntary payments to the U.S. Treasury, with monthly and annual caps for the SBC/Ameritech Service Area (allocated on a per state basis). The 20 performance measurements are categorized as being in either the High, Medium, or Low payment level. Attachments A-5a and A-5b provide a list of the 20 performance measurements and the payment level that applies each year. Attachment A-4 provides a table of the voluntary payments, setting forth the per occurrence and per measurement payments at the High, Medium, and Low levels, and the caps for those measurements where voluntary payments are made on a per occurrence basis with a cap. Attachment A-6 provides the per state monthly and annual caps that apply each year. The obligation to make these voluntary payments in all SBC/Ameritech States except Connecticut attaches 270 days after the Merger Closing Date. The obligation to make these voluntary payments in Connecticut attaches 15 months after the Merger Closing Date.
- 9. SBC/Ameritech shall make voluntary payments to the U.S. Treasury if SBC/Ameritech fails to provide parity or benchmark performance to the aggregate of all CLECs operating in the SBC/Ameritech Service Area in an SBC/Ameritech State on any measurement for either (1) 3 consecutive months, or (2) 6 months or more in a calendar year, as determined by use of the modified Z-tests and a critical Z-value. Voluntary payments for each SBC/Ameritech State shall be made on a per occurrence or per occurrence with a cap basis for measurements listed in Schedule A and on a per measurement basis for measurements in Schedule B of Attachments A-1a and A-1b, applying the statistical analyses and the calculations described in Attachment A-3, the payment level for the measurements in Attachments A-5a and A-5b, and the per-occurrence and per-measurement voluntary payment amounts set forth in Attachment A-4. The voluntary payments shall be calculated on the rolling average of occurrences or measurements, as appropriate, where SBC/Ameritech has failed to provide parity or benchmark performance for 3 consecutive months. If SBC/Ameritech fails to provide parity or benchmark

Deleted: 03/13/03

Inserted: 03/13/03

Deleted: 03/12/03

Inserted: 03/12/03

The Commission understands that the word "measurement" in this context does not refer to the 20 measurements listed in Attachment A-1a and A-1b, but instead refers to each <u>disaggregated sub-measurement</u> into which the 20 performance measurements are divided. Accordingly, the Commission understands that this Plan will not merely aggregate the various sub-measurements and levels of disaggregation into one score for each of the 20 performance measurements, and then assess whether a voluntary payment is due. Instead, the Commission understands that SBC/Ameritech shall make a voluntary payment as required for <u>any disaggregated sub-measurement</u>. For example, the Commission understands that the number of repeat trouble reports for residential POTS service within a state would represent a distinct disaggregated sub-measurement, and that payment would be due if SBC/Ameritech's performance under this disaggregated sub-measurement is below par for three consecutive months.

The Commission understands that SBC/Ameritech would make a voluntary payment in the event it fails to provide parity of benchmark performance for three consecutive months, and another payment if the failure continues for a fourth consecutive month, and so on. In each case, the payment would be calculated according to the rolling average of occurrences for the last three consecutive out-of-parity months. For example, if SBC/Ameritech is out-of-parity on a measurement for January, February and March, it would make a payment

performance in an SBC/Ameritech State for 6 or more months in a calendar year, the voluntary payments shall be calculated as if all such months were missed consecutively.⁷

- 10. In order to ensure that CLECs which order low volumes of certain resold local services and UNEs and that CLECs operating in emerging markets receive parity and benchmark performance, SBC/Ameritech shall increase the voluntary payments calculated in accordance with Paragraph 9 above for measurements 4a-c and 5-13 ("qualifying measurements") and for sub-measurements involving UNE combinations, resold ISDN, ISDN UNE loop and port, BRI loop with test access (i.e., ISDN), and DSL loops within the qualifying measurements where applicable ("qualifying sub-measurements"). For these 25 qualifying measurements and 36 qualifying sub-measurements, the voluntary payments calculated using the 3 month rolling average described in Paragraph 9 above shall be multiplied by a factor of 3 under the following circumstances and pursuant to the following methodology. The provisions of this Paragraph 10 only apply in the event that a voluntary payment is owed for a qualifying measurement or qualifying sub-measurement per the provisions of Paragraph 9 (i.e., this Paragraph only applies in the event that SBC/Ameritech has failed to provide parity or benchmark performance on a qualifying measurement or qualifying sub-measurement for 3 consecutive months or in 6 or more months in a calendar year.)
- a. Qualifying Measurements. If, for the 3 months that are utilized to calculate the rolling average, there were 100 or more observations on average for the qualifying measurement, then no increase in voluntary payments is owed pursuant to the provisions of this Subparagraph, but the provisions of Subparagraph (b) may apply. If, for the 3 months that are utilized to calculate the rolling average, there were more than 10 but less than 100 observations on average for the qualifying measurement, then (1) SBC/Ameritech shall calculate the voluntary payments to the U.S. Treasury for that qualifying measurement in accordance with Paragraph 9 and shall treble the amount of such voluntary payments for that qualifying measurement, and (2) the provisions of Subparagraph (b) shall not apply with respect to any qualifying submeasurements within the qualifying measurement.
- b. <u>Qualifying Sub-Measurements.</u> If, for the 3 months that are utilized to calculate the rolling average, there were 100 or more observations on average for the qualifying sub-measurement, then no increase in voluntary payments is owed pursuant to the provisions of

based on the January-February-March average; if it is also out-of-parity for the same measurement in April, it would make another payment, based on the February-March-April average.

By assessing the payments "as if all such months were missed consecutively," the Commission understands that four payments would be made in a year where a measure is out-of-parity for six months (and five payments in a year where a measure is out-of-parity for seven months, and so on).

The Commission recognizes that the use of the terms "qualifying measurement" and "qualifying submeasurement" may generate some confusion (in particular, because the terms "measurement" and "submeasurement" are not used consistently, *see supra* note 5). The Commission interprets the term "qualifying measurement" as applying to the following 25 measurements and sub-measurements: 4a, 4b, 4c, 5a, 5b, 5c, 6a, 6b, 6c, 7a, 7b, 7c, 8, 9, 10a, 10b, 11a, 11b, 11c, 12a, 12b, 12c, 13a, 13b and 13c. The Commission interprets the term "qualifying sub-measurements" as applying to the 36 disaggregated sub-levels of these "qualifying measurements" that correspond to the following resale services and UNEs: UNE combinations (applicable to 4a, 5a, 6a, 7a, 10a, 11a, 12a, and 13a); resold ISDN, and ISDN UNE loop and port (applicable to 4b, 5b, 6b, 7b, 11b, 12b, and 13b); and BRI loop with test access, and DSL loops (applicable to 4c, 5c, 6c, 7c, 11c, 12c, and 13c).

Deleted: 03/13/03

Inserted: 03/13/03

Deleted: 03/12/03

Inserted: 03/12/03

this Subparagraph. If, for the 3 months that are utilized to calculate the rolling average, there were more than 10 but less than 100 observations on average for the qualifying submeasurement, then SBC/Ameritech shall calculate the voluntary payments to the U.S. Treasury for that qualifying sub-measurement in accordance with Paragraph 9 and shall treble the amount of such voluntary payments for that qualifying sub-measurement. Per the provisions of Subparagraph (a), the provisions of this Subparagraph do not apply to any qualifying submeasurements within a qualifying measurement for which treble voluntary payments are owed.

- c. When SBC/Ameritech and the Chief of the Common Carrier Bureau jointly review the 20 measurements on a semi-annual basis in accordance with Paragraph 4, the Chief of the Common Carrier Bureau may substitute, on a one-for-one basis, the submeasurements associated with any other existing service or UNE within measurements 4a, 4b, or 4c for the initial set of qualifying sub-measurements. During this semi-annual review, the Chief of the Common Carrier Bureau may also increase the number of qualifying sub-measurements by including, from the list of qualifying measurements, the sub-measurements associated with new services and/or UNEs as qualifying sub-measurements. The Chief of the Common Carrier Bureau may add a maximum of 3 such new services and/or UNEs over the duration of the Plan. 10
- 11. The monthly and annual caps on the total amount of voluntary payments for which SBC/Ameritech shall be liable, as provided for in Attachment A-6, may be reduced by an amount up to \$125 million in the third year of the Plan if SBC/Ameritech completes the OSS enhancement commitments provided for in Paragraph 15(c), Paragraphs 26-28, and/or Paragraph 31 by a date that is sooner than the target dates for the OSS commitments specified in such Paragraphs, as follows:
- a. The monthly and annual caps on the total amount of voluntary payments for which SBC/Ameritech shall be liable may be reduced by an amount up to \$45 million during the third 12 month period if SBC/Ameritech completes the OSS enhancement commitments provided for in Paragraph 15(c) early. If SBC/Ameritech completes Phase 3 of Paragraph 15(c) within the SBC/Ameritech Service Area in all SBC/Ameritech States except Connecticut earlier than 14 months after the Merger Closing Date, excluding any time that is spent in completing Phase 2 beyond the 30 days allotted for reaching a written agreement with the CLECs, the annual caps shall be reduced by \$10 million if 30 days early, \$15 million if 60 days early, \$20 million if 90 days early, \$25 million if 120 days early, \$35 million if 150 days early, and \$45 million if 180 days early.

Deleted: 03/13/03
Inserted: 03/13/03
Deleted: 03/12/03

The Commission understands that the Chief of the Common Carrier Bureau may elect to substitute, for example, all "qualifying sub-measurements" relating to resold ISDN (*i.e.*, 4b, 5b, 6b, 7b, 11b, 12b, and 13b) with the corresponding sub-measurements relating to another resold service or UNE (such as resold DS1 service, or a new resold service which SBC/Ameritech may offer in the future).

The Commission understands that, by selecting 8 dB loop, DS1 Loop and Dark Fiber as such "new services and/or UNEs," the Chief of the Common Carrier Bureau would effectively add to the "multiplier" provision of the Plan a total of 21 new qualifying sub-measurements (*i.e.*, the disaggregated sub-measurements corresponding to these UNEs under 4c, 5c, 6c, 7c, 11c, 12c, and 13c). Under this example, the Chief of the Common Carrier Bureau would be unable to <u>add</u> more new services and/or UNEs to the "multiplier" provision (as the limit of three would be spent), but could still <u>substitute</u> services and/or UNEs, as set forth in Paragraph 10c and note 9.

- b. The monthly and annual caps on the total amount of voluntary payments for which SBC/Ameritech shall be liable may be reduced by an amount up to \$40 million during the third 12 month period if SBC/Ameritech completes the OSS enhancement commitments provided for in Paragraphs 26-28 early. If SBC/Ameritech completes Phase 3 of Paragraph 28 within the SBC/Ameritech Service Area in all SBC/Ameritech States except Connecticut within less than 24 months after the Merger Closing Date, excluding any time that is spent in completing Phase 2 beyond the 30 days allotted for reaching a written agreement with the CLECs, the annual caps shall be reduced by \$5 million if 30 days early, \$10 million if 60 days early, \$15 million if 90 days early, \$20 million if 120 days early, \$30 million if 150 days early, and \$40 million if 180 days early.
- c. The monthly and annual caps on the total amount of voluntary payments for which SBC/Ameritech shall be liable may be reduced by an amount up to \$45 million during the third 12 month period if SBC/Ameritech completes the OSS enhancement commitments provided for in Paragraph 31 early. If SBC/Ameritech completes Phase 3 of Paragraph 31 within the SBC/Ameritech Service Area in all SBC/Ameritech States within less than 30 months after the Merger Closing Date, excluding any time that is spent in completing Phase 2 beyond the 30 days allotted for reaching a written agreement with the CLECs, the annual caps shall be reduced by \$5 million if 30 days early, \$10 million if 60 days early, \$15 million if 90 days early, \$20 million if 120 days early, \$30 million if 150 days early, and \$40 million if 180 days early.
- d. Any required reductions in the annual cap during the third 12-month period pursuant to Subparagraphs (a)-(c) above shall be prorated across all 13 SBC/Ameritech States and apportioned to monthly caps utilizing the same ratios used to develop the tables in Attachment A-6.
- 12. The amount of payments otherwise due each month under this Plan in a state shall be offset by the sum of (1) the amount of any payments made by SBC/Ameritech to private or public parties (including, but not limited to, CLECs, state commissions, state governments, public interest funds or groups, or other entities) each month under any state-approved local interconnection performance monitoring or performance measurement plan in that state, and (2) the amount of payments made by SBC/Ameritech related to performance measurements paid to CLECs each month in that state under the terms of an approved local interconnection agreement with SBC/Ameritech. Provided, however, that the amount of any payments made to affiliates of SBC/Ameritech shall not be used in calculating the offset.
- 13. Performance measurement results for each month shall be available to the Commission, state commissions and CLECs by the 20th day of the following month. If SBC/Ameritech becomes liable for voluntary payments to the U.S. Treasury, such payments shall be made 30 days after the performance measurement results become available. If such payments are made, SBC/Ameritech shall provide notice to the Commission within 5 business days after the payment is made.
- 14. SBC/Ameritech shall not be liable for voluntary payments to the U.S. Treasury if SBC/Ameritech's failure to provide parity or benchmark performance is caused by an Act of God, or a *force majeure* event. If SBC/Ameritech determines through "root cause analysis" that

Deleted: 03/13/03

Inserted: 03/13/03

Deleted: 03/12/03

Inserted: 03/12/03

it failed to provide parity or benchmark performance for any reason listed above, SBC/Ameritech may seek a waiver from the Chief of the Common Carrier Bureau relieving SBC/Ameritech from voluntary payments to the U.S. Treasury. SBC/Ameritech shall have the burden of proof to make the required showing, and shall have a right of appeal to the Commission. If SBC/Ameritech seeks such a waiver, SBC/Ameritech shall place the voluntary payments at issue into an interest bearing escrow account. If SBC/Ameritech fails to carry its burden of proof, the amount of voluntary payments paid into the escrow account, including any accrued interest, shall be remitted to the U.S. Treasury. If SBC/Ameritech carries its burden of proof, the amount of voluntary payments paid into the escrow account, including any accrued interest, shall be returned to SBC/Ameritech.

- 15. Voluntary payments made by SBC/Ameritech under the Plan shall not be reflected in the revenue requirement of an SBC/Ameritech incumbent LEC.
- 16. The measurements and benchmarks under the Plan bear no necessary relationship to the standard of performance that satisfies SBC/Ameritech's legal obligations in a particular state, and payments under the Plan shall not constitute an admission by SBC/Ameritech of any violation of law or noncompliance with statutory or regulatory requirements with respect to the provision of local facilities or services to SBC/Ameritech's wholesale or retail customers.

Deleted: 03/13/03

Inserted: 03/13/03

Deleted: 03/12/03

Attachment A-1a

SBC/AMERITECH PERFORMANCE MEASUREMENTS (EXCEPT CALIFORNIA AND NEVADA)

<u>Schedule A</u> – Performance Measurements Subject to Per Occurrence or Per Occurrence With Cap Voluntary Payments:

OSS		
		Deleted: Received Within "X" Hours
1. % Firm Order Confirmations (FOCs) Returned on Time for LSR Requests, (per	1	
occurrence with cap)		
2. Average Response Time For OSS Pre-Order Interfaces (Non Uniform) (per occurrence		
with cap)2a. Percent Responses Received within "X" seconds – Uniform OSS Interfaces (per	'	Deleted: ¶
occurrence with cap)		
3. Order Process Percent Flow Through (per occurrence with cap)		
Provisioning		
4. SBC Caused Missed Due Dates		
5. Installation Trouble Reports Within "X" Days		
6. Mean Installation Intervals (Diagnostic)		
7. Average Delay Days For SBC SNET Caused Missed Due Dates		
8. Average Installation Interval – DSL (Diagonistic)		
9. Average Response Time For Loop Make-up Information		Deleted: Qualification
Maintanana		
Maintenance		
10. % Missed Repair Commitments11. % Repeat Reports		
11. % Repeat Reports12. Mean Time To Restore		
13a. Trouble Report Rate		
13a.1 Trouble Report Rate net of installation and repeat reports		
13c. Trouble Report Rate - UNE		
13c.1 Trouble Report Rate - ONE 13c.1 Trouble Report Rate net of installation and repeat reports		
Interconnection		
15. % Trunk Blockage (per occurrence with cap)		Deleted: 14. Average Trunk
70 Hain Blockage (por occurrence with cup)		Restoration Interval For Service
Local Number Portability		Affecting Trunk Groups¶
16. % CHC/FDT LNP with Loop Provisioning Interval.		Deleted: Pre-Mature Disconnects
Collocation	- <	Deleted: (Coordinated Cutovers)¶
17. % Missed Collocation Due Dates		
	,	Deleted: 18. Billing Timeliness (per
Billing		occurrence with cap)¶ ¶
- L	/	Deleted: 03/13/03
	,,	Inserted: 03/13/03
		Deleted: 03/12/03
	11/	Inserted: 03/12/03
	Will	1115C1 CCU. 03/12/03
Version 3.0-Redlined A-8	JU / 1	1115C1 CC1. 05/12/05

<u>Schedule B</u> – Performance Measurements Subject to Per Measurement Voluntary Payments:

OSS 19. OSS Interface Availability

Interconnection

20. Common Transport Trunk Blockage

> **Deleted:** 03/13/03 **Inserted:** 03/13/03

Deleted: 03/12/03

Attachment A-2a

SBC/AMERITECH PERFORMANCE MEASUREMENT BUSINESS RULES (EXCEPT CALIFORNIA AND NEVADA)

OSS

1. Measurement

Percent Firm Order Confirmations (FOCs) Returned on time for LSR requests.

Definition:

Percent of FOCs returned within a specified time frame from receipt of a complete and accurate service request to return of confirmation to CLEC

Exclusions:

- Rejected (manual and electronic) LSRs
- SBC SNET only Disconnect orders
- Services ordered out of the Access Tariff
- Interconnection Orders
- Unbundled Dedicated Transport Orders

Business Rules:

FOC business rules are established to reflect the Local Service Center (LSC) normal hours of operation, which include M-F, 8:00 AM to 5:00 PM, excluding, holiday and weekends. If the start/time is outside of normal business hours then the start date/time is set to 8:00 AM on the next business day. Example: If the request is received Monday through Friday between 8:00 AM to 5:00 PM; the valid start time will be Monday through Friday between 8:00 AM to 5:00 PM. If the actual request is received Monday through Thursday after 5:00 PM and before 8:00 AM next day; the valid start time will be the next business day at 8:00 AM. If the actual request is received Friday after 5:00 PM and before 8:00 AM Monday; the valid start time will be at 8:00 AM Monday. If the request is received on a Holiday (anytime); the valid start time will be the next business day at 8:00 AM. For LSRs received electronically requiring no manual intervention by the LSC, the OSS hours of operation will be used in lieu of the LSC hours of operation (i.e., actual OSS processing time outside of LSC hours will not be excluded in calculating the interval). The returned confirmation to the CLEC will establish the actual end date/time. Provisions are established within the DSS reporting systems to accommodate situations when the LSC works holidays, weekends and when requests are received outside normal working hours. For UNE Loop and Port combinations, orders requiring N, C, and D orders, the FOC is sent back at the time the C order is distributed.

All UNE RS orders are categorized as Simple or Complex in the same manner as Retail or Resale orders are categorized.

Business Reference Manual System (BRMS) and/or EXACT are systems required for the engineering of certain complex business and UNE loop products that must take place prior to the request being worked (pre-provisioning).

Deleted: ¶

Formatted

Deleted: 03/13/03

Inserted: 03/12/03

Inserted: 03/12/03

The BRMS and/or EXACT form must be initiated by the LSC service representative with information from the LSR for services such as Centrex, DIDs, PRI services, ISDN, Centralink services, Basic Multipath services, DS1, DS3, Dark Fiber loops, etc. Once the BRMS and/or EXACT form is completed, the LSC service representative must release it to the other involved departments for review and determination of the design information and to determine the necessary steps to provide the services. This may involve review of TN number availability, design circuit provisioning, translations requirements, etc. to determine the service availability and due date. Depending on the service and complexity of the request, the return of the BRMS and/or EXACT information could be 3-5 days. Therefore, the FOC is to be negotiated for any services that require BRMS and/or EXACT pre-provisioning.

If the CLEC accesses SBC SNET systems using a Service Bureau Provider, the measurement of SBC SNET's performance does not include Service Bureau Provider processing, availability or response time.

ENHANCEDLEX/EDI

For ENHANCEDLEX and EDI originated LSRs, the start date and time is the receive date and time that is automatically recorded by the interface (EDI or ENHANCEDLEX) with the system date / time. The end date and time is recorded by the interface (ENHANCEDLEX and EDI) and reflect the actual date and time the FOC is available to the CLEC. For LSRs where FOC times are negotiated with the CLEC, the ZFOC FID on the SONAR service order is used in the calculation.

For those electronic requests that an associated manual loop qualification is input by the LSC, the start date and time is receipt of a valid LSR and the end date and time is when the FOC FAX is sent back to the CLEC.

The time needed by Outside Network Engineering to complete the manual loop makeup and make available in the Loop Qual system is not included as part of the FOC interval.

MANUAL REQUESTS

Manual service order requests are those initiated by the CLEC either by fax, or other manual methods (i.e. courier). The FAX receipt date and time is recorded and input on the SM-FID on each service order in the service order system for each FOC opportunity. The end time is the actual date and time that a successful attempt to send a paper fax, is made back to the CLEC. The ZFOC-FID is used when FOC times are negotiated with the CLEC. The LSC populates the ZFOC-FID with data entries that are used in the FOC calculation.

For a manual request that requires an associated loop qualification, the start date and time is receipt of a valid LSR and the end date and time is when the FOC FAX is sent back to the CLEC. The time needed by Outside Network Engineering to complete the manual loop makeup and make available in the Loop Qual system is not included as part of the FOC interval.

Deleted: ¶

Deleted:

Formatted

Deleted: 03/13/03

Inserted: 03/13/03

Deleted: 03/12/03

Levels of Disaggregation:

Electronic/Electronic

- Resale (residential and simple business combined)
- UNE-RS (POTS loop/port combinations)
- UNE loop (excluding DSL loops), with or without LNP
- DSL capable loops (including standalone loops, line sharing and line splitting)
- LNP only
- Broadband DSL capable Loops (including standalone loops, line sharing and line splitting).
- All other

Manual Intervention

- Resale (residential and simple business combined)
- UNE-RS (POTS loop/port combinations)
- UNE loop (excluding DSL loops), with or without LNP
- DSL capable loops (including standalone loops, line sharing and line splitting)
- LNP only
 - Broadband xDSL capable loops (including standalone loops, line sharing and line splitting).
- All Other (Includes order types that require manual submission)

Calculation:	Report Structure:
(# FOCs returned within "x" hours ÷	Reported by CLEC, all CLECs and
total FOCs sent) * 100	SBC SNET affiliate where
	applicable (or SBC SNET acting on
	behalf of its' affiliate.). This
	includes mechanized from EDI and
	ENHANCED LEX and manual
	(FAX or phone orders)

Measurement Type:

Y2 – Med

Y3 - Med

Benchmark:

Electronic – Electronic 95% within <u>45</u>minutes.

Manual Intervention - 95% within the benchmark defined below:

Within 5 Hours for the following service types:

- Mechanized Simple Res/Bus
- Mechanized UNE Loop (1-49)
- Mechanized Switch Ports

Formatted: Bullets and Numbering

Formatted: Bullets and Numbering

Formatted: Bullets and Numbering

Deleted:

Deleted: 60

Deleted: 03/13/03
Inserted: 03/13/03
Deleted: 03/12/03

Inserted: 03/12/03

Version 3.0-Redlined 07/09/03

A-12

 Mechanized LNP with Loop (1-19) 		
 Mechanized Simple Res & Bus LNP Only (1-19) 		
• Mechanized Simple Res & Bus LNP Only (20+)		
Within 6 Hours for the following service types:		
 Mechanized UNE xDSL Capable Loop (1-20) 	Form	atted
• Mechanized Line Sharing (1-49)	Form	atted
 Mechanized Broadband xDSL Capable Loop (1-20) 	Dele	ted: 19
• Mechanized Broadband line sharing (1-49)		_
Within 14 Hours for the following service types:	Form	atted
 Mechanized UNE xDSL Capable Loop (> 20) 	Form	atted
Mechanized Cive Ribbe Capable Boop (> 20) Mechanized Line Sharing (>49),	Form	atted
Mechanized Broadband xDSL Capable Loop (>20)		ted: 19
Mechanized Broadband Line Sharing (>49)		
Vithin 24 Hours for the following service types:	Dele	ted: ¶
Manual and Mechanized Complex Bus (1-200)		"
Manual and Mechanized LNP Complex Business (1-19)	Form	atted
Manual Simple Res./Bus LNP Only (1-19)		
• Manual UNE Loop(1-49)		
Manual Switch Ports		
• Manual LNP with Loop (1-19)		
• Manual LNP Complex Business (1-19)		
• Manual UNE xDSL Capable Loop (1-49)		
• Manual Line Sharing (1-49)		
Manual Broadband xDSL Capable Loop (1-49)		
• Manual Broadband Line Sharing (1-49)		
 Within 48 Hours for the following service types: Manual and Mechanized Complex Bus (>200) Manual and Mechanized UNE Loop (>50) 	Form	natted
* ' '		
 Manual and Mechanized LNP Complex Business (20-50 Lines) Manual and Mechanized LNP with Loop (>20) 		
 Manual UNE xDSL Capable Loop (>49) 	/	ted: ¶
• Manual Line Sharing (>49)	// Form	atted
 Manual Simple Res & Bus LNP Only (20+) 	Form	natted: Bullets and Numberin
Wandar Simple Res & Bus ENT Only (201)	Form	atted
	//// Dele	ted: ¶
 Manaul Broadband xDSL Capable Loop (>49) 	_ <i>i//</i> / ¶	
 Manaul Broadband xDSL Capable Loop (>49) Manual Broadband Line Sharing (>49) 	- '// / ¶ - - • '// / Form	atted
• Manual Broadband Line Sharing (>49)	/ / /	ted: 03/13/03
Manual Broadband Line Sharing (>49) Within the Negotiated interval for the following service types:	Dele	
· · · · · · · · · · · · · · · · · · ·	Dele	ted: 03/13/03

Multipath services, PRI services, DID Trunks (1-200 lines), DS1, DS3 or Dark Fiber loops.	 Deleted:)
The critical-z does not apply to this measure.	 Deleted: <= Negotiated with Notification of Timeframe within 24 Clock Hours¶

Deleted: 03/13/03


Inserted: 03/13/03

Deleted: 03/12/03

Inserted: 03/12/03

Version 3.0-Redlined 07/09/03

A-14



2. Measurement (Non Uniform Interfaces)

Average Response Time For OSS Pre-Order Interfaces

Definition:

The average response time in seconds from the SBC SNET side of the Remote Access Facility (RAF) and return for pre-order <u>non-uniform interfaces</u> (MSAP/WCIWIN) by function.

Exclusions:

None.

Business Rules:

The clock starts on the date/time when the request is received by SBC SNET and the clock stops on the date/time when the SBC SNET has completed the transmission of the response to the CLEC. Timestamps are taken at the MSAP and WCIWIN servers and do not include transmission time through the LRAF. Response time is accumulated for each major query type, consistent with the specified reporting dimension, and then divided by the associated total number of queries received by SBC SNET during the reporting period. The response time is measured only within the published hours of interface availability. Published hours of interface availability are documented on the CLEC web site. (SBC SNET will not schedule system maintenance during normal business hours (8 AM to 5:00 PM Monday through Friday). If the CLEC accesses SBC SNET systems using a Service Bureau Provider, the measurement of SBC SNET's performance does not include Service Bureau Provider processing, availability or response time.

For the protocol translation response times, start and end times are as follows: MSAP input time starts at the time the CLEC successfully connects to the MSAP Interactive Agent and the end time is when the connection is made to MSAP for processing. MSAP output time starts when the response message is received from MSAP and the end time is when the message is sent to the CLEC.

Deleted: 03/13/03

Inserted: 03/13/03

Deleted: 03/12/03

Levels of Disaggregation:

- Address Verification
- Request For Telephone Number (Function available with MSAP only)
- Request For Summary Customer Service Record (CSR) <= 30 WTNs (Also broken down for Lines as required for DIDs). (Function not available at SBC SNET.)
- Request For Summary Customer Service Record (CSR) > 30 WTNs (Also broken down for Lines as required for DIDs). (Function not available at SBC SNET)
- Request For Detailed Customer Service Record (CSR)
- Service Availability (Function not available at SBC SNET)
- Service Appointment Scheduling (Due Date) (Function available with MSAP only)
- Dispatch Required
- PIC (Function not available at SBC SNET)
- Loop Makeup Info Actual Data Returned WCIWIN*
- Loop Makeup Info Design(Theoretical)Data Returned WCIWIN*
- Loop Makeup Info Manual (UTDB) Data Returned WCIWIN*
- Actual Loop Makeup Information requested actual data returned MSAP
- Actual Loop Makeup Information requested design data returned MSAP
- Design Loop Makeup Information requested design (UTDB) data returned -MSAP
- Protocol translation time MSAP input messages
- Protocol translation time MSAP output messages

•

*WCIWIN System does not offer the client a choice between requesting actual, manual or design data. Rather, WCIWIN returns the best available information given a request for loop makeup characteristics.

Calculation:	Report Structure:
Σ[(Query Response Date & Time) - (Query Submission Date & Time)] ÷ (Number of Queries Submitted in Reporting Period)	Reported on a CLEC, all CLECs, and SBC SNET affiliate where applicable (or SBC SNET acting on behalf of its' affiliate) for WCIWIN and MSAP

Deleted: 03/13/03

Inserted: 03/13/03

Deleted: 03/12/03

Inserted: 03/12/03

Measurement Type	
$\underline{Y1-M}$	
<u>Y2 - M</u>	
Benchmark:	

Deleted: 03/13/03 **Inserted:** 03/13/03

Deleted: 03/12/03

Inserted: 03/12/03

Version 3.0-Redlined 07/09/03

A-18

Benchmarks for summary (
Information are interim_(Di			e that suf	ficient data is available		
to set final benchmarks Cri			WOWN	r		
Address Validation	MSAP:		WCIWIN	:		Deleted
Telephone number TN	4.7sec. 4.5 sec.		1.7sec.	available with MSAP)	< []	Deleted:
Request for summary CSR				Not available at SNET)		Deleted:
Request for summary CSR	0.0 Sec.		0.0 sec.(<u>Not available at SINE 1)</u>		Deleted: ¶
Service Availability	6.6 sec.		6.6 sec. <u>(</u>]	Not available at SNET)		Deleted: ¶
Service Appointment						
Scheduling Due Date	_1.0 sec.	1.0 se	ec.(Only a	available with MSAP)		
Dispatch Required	12.6 sec		12.6 sec	c.		
PIC	19.1 sec.	1	9.1 sec. <u>(1</u>	Not available at SNET)		
Actual Loop Makeup Information Requested – Actual data returned	12.6 sec	1	2.6 sec	(Diagnostic)Actual		Deleted: ¶
Loop Makeup Information Requested – Design data returned	23 sec		23.sec	(Diagnostic)		
Design Loop Makeup Information Requested – Design/Manualdata returned	d 10 se	ec 1	0 sec	_(Diagnostic)		Deleted:
2 401811						
Protocol translation time – EDI input messages	Diagnostic	Diagnostic				
Protocol translation time – EDI output messages	Diagnostic	Diagnostic				
▼						Deleted: Protocol translation time = CORBA input messages Diagnost: Protocol translation time = Protocol translation time = Diagnost CORBA output messages Diagnostic
					i	Deleted: 03/13/03 Inserted: 03/13/03
					= //	Deleted: 03/12/03
					11/	
					11/2	Inserted: 03/12/03

07/09/03

Measurement (Uniform Interfaces)

Percent Responses Received within "X" seconds – OSS Interfaces

Definition:

The percent of responses completed in "x" seconds for pre-order interfaces (EnhancedVerigate, EDI and CORBA)by function.

Exclusions:

None

Business Rules:

Timestamps for the uniform interfaces (, Enhanced Verigate, EDI and CORBA) are taken at the SBC Pre-Order Adapter and do not include transmission time through the xRAP of Inserted: SBC SNET protocol translation times. The clock starts on the date/time when the query is received by the SBC Pre-Order Adapter and stops at the date/time the SBC Pre-Order Adapter passes the response back to the interfacing application [EnhancedVerigate, EDI pre-orde] Deleted: SWBT or CORBA). The response time is measured only within the published hours of interface Deleted: SBC SNET has completed the availability as posted on the CLEC on-line website.

For the protocol translation response times, interface input times start at the time the interface receives the pre-order query request from the CLEC and the end time is when the connection is made to the SBC Pre-Order Adapter for processing. Interface output times start when the interface receives the response message back from SBC Pre-Order Adapter and the end time is when the message is sent to the CLEC.

If the CLEC accesses SBC SNET systems using a Service Bureau Provider, the measurement of SBC SNET's performance does not include Service Bureau Provider processing, availability or response time.

Levels of Disaggregation:

- Address Verification
- Telephone Number Assignment (includes inquiry, reservation, confirmation and cancellation transactions)
- Customer Service Inquiry Record (CSI) <= 30 WTNs (Also broken down for Lines as required for DIDs).
- Service/Feature Availability
- Service Appointment Scheduling (Due Date)

Deleted: For non-uniform

DataGateversions, the clock starts on the date/time when the request is received by

Deleted: SWBT

Deleted: ¶

Deleted: SBC SNET, and the clock stops on the date/time when

Inserted:, and the clock stops on the date/time when SWBT

transmission of the response to the CLEC. Timestamps are taken at the DataGate servers and do not include transmission time through the LRAF. The response time is measured only within the published hours of interface availability. Published hours of interface availability are documented on the CLEC

Inserted: SBC SNET

Inserted: has completed the transmission of the response to the CLEC. Timestamps are taken at the DataGate servers and do not include transmission time through the LRAF. The response time is measured only within the published hours of interface availability. Published hours of interface availability are documented on the CLEC web site.¶

Timestamps for the uniform interfaces (Uniform DataGate, EnhancedVerigate, EDI and CORBA) are taken at the SBC Pre-Order Adapter and do not include transmission time through the xRAF or protocol translation times. The clock starts on the date/time when the query is received by the SBC Pre-Order Adapter and stops at the date/time the SBC Pre-Order Adapter passes the response back to the interfacing application (Uniform DataGate

Deleted: Uniform DataGate

Deleted: (Uniform DataGate.

eleted: 03/13/03

nserted: 03/13/03

eleted: 03/12/03

 <u>Protocol translation</u> <u>Protocol translation</u> 	time – EDI(inc time – CORBA	requested(inclu- ludes input and (includes input	-	Deleted: <#>Protocol translation time –
Calculation:			port Structure:	Uniform DataGate (includes input and output times)¶
(# of responses within einterval ÷ total response		SNET affiliate	CLEC, all CLECs, and SBC e where applicable (or SBC on behalf of its' affiliate), by	
Measurement Type:				
$\frac{Y1-M}{Y2-M}$				
<u>Y 2 – M</u>				
Benchmark:				
No damages will apply			nes for EDI, and	Deleted: Uniform DataGate
EnhancedVerigate. Crit	ical z-value doe	es not apply.		
Measurement	v		EnhancedVerigate, EDI and CORBA	Deleted: Non-Uniform DataGate/EDI/CORBA
Address Verification			95% in <= 10 seconds	Deleted: Uniform DataGate,
Telephone Number	-		95% in <= 10 seconds	Deleted: 95% in <= 10 seconds
Assignment (includes inquiry, reservation,				Deleted: 95% in<= 7 seconds
confirmation and cancellation transactions)				
Customer Service Summary			95% in <=15 seconds	Deleted: 90% in <= 8 seconds¶
(non-uniform) / Customer Service Inquiry (Uniform)				95% in <= 13 seconds
Service/Feature Availability			95% in <=13 seconds	Deleted: 95% in <= 13 seconds
Service Appointment				
			95% in <=5 seconds	Deleted: 05% in <= 4 cocondo
Scheduling (Due Date)	-		95% in <=5 seconds	Deleted: 95% in <= 4 seconds
Dispatch Required	<u> </u>		95% in <=5 seconds 95% in <=19 seconds	Deleted: 95% in <= 4 seconds Deleted: 95% in <= 19 seconds
	Y			
Dispatch Required	Y		95% in <=19 seconds	Deleted: 95% in <= 19 seconds
Dispatch Required PIC / LPIC Actual Loop Makeup Information requested (5 or	·		95% in <=19 seconds 95% in <=25 seconds	Deleted: 95% in <= 19 seconds Deleted: 95% in <= 25 seconds
Dispatch Required PIC / LPIC Actual Loop Makeup Information requested (5 or less loops searched)	Y		95% in <=19 seconds 95% in <=25 seconds 95% in <=30 seconds	Deleted: 95% in <= 19 seconds
Dispatch Required PIC / LPIC Actual Loop Makeup Information requested (5 or less loops searched) Actual Loop Makeup	Y		95% in <=19 seconds 95% in <=25 seconds	Deleted: 95% in <= 19 seconds Deleted: 95% in <= 25 seconds
Dispatch Required PIC / LPIC Actual Loop Makeup Information requested (5 or less loops searched) Actual Loop Makeup Information requested (greater than 5 loops	Y		95% in <=19 seconds 95% in <=25 seconds 95% in <=30 seconds	Deleted: 95% in <= 19 seconds Deleted: 95% in <= 25 seconds Deleted: 95% in <= 30 seconds Deleted: 95% in <= 60 seconds
Dispatch Required PIC / LPIC Actual Loop Makeup Information requested (5 or less loops searched) Actual Loop Makeup Information requested (greater than 5 loops searched)			95% in <=19 seconds 95% in <=25 seconds 95% in <=30 seconds 95% in <= 60 seconds	Deleted: 95% in <= 19 seconds Deleted: 95% in <= 25 seconds Deleted: 95% in <= 30 seconds Deleted: 95% in <= 60 seconds Deleted: 03/13/03
Dispatch Required PIC / LPIC Actual Loop Makeup Information requested (5 or less loops searched) Actual Loop Makeup Information requested (greater than 5 loops			95% in <=19 seconds 95% in <=25 seconds 95% in <=30 seconds	Deleted: 95% in <= 19 seconds Deleted: 95% in <= 25 seconds Deleted: 95% in <= 30 seconds Deleted: 95% in <= 60 seconds

	Qual transactions)			
	<u>Protocol Translation Time</u> –	£	95% in ≤ 4 seconds -	- Deleted: 95% in <= 4 Seconds
	EDI(input and output)		0.50/:	
	Protocol Translation Time – CORBA (input and output)	£	95% in <=1 seconds	Deleted: 95% in = 1 second
	V			- Deleted: Protocol Translation Time -
	<u>Protocol Translation Time – </u>	V	95% in <= 1 seconds	Uniform DataGate (input and output)
	EnhancedVerigate (input		Diagnostic until data ha	- `. (
	and output)		been reported for 6 months	Deleted: 95% in <= 1 seconds Diagnostic until data has been reported for 6 months
M				Deleted: N/A
	urement			Deleted: ——Page Break—
Definition	cess Percent Flow Through			
	ent of orders from entry to dist	ribution that progress through	SDC SMET	
	ring systems without manual ir		SDC SNET	
Exclusion		iter vention.		
	Excludes rejected orders		1.01 .1 .1	
	For new versions of the orderin			
	capabilities, orders that have the out for which CLEC utilized the			
	neasurement in both the numer	,	uded from this	
Business 1		ator and denominator.		
	number of LSRs that flow thro	ugh SRC SNET's ordering sys	tems and are	- Formatted
	ributed in SONAR without man			Tormatteu
	through and/or MOG eligible	,	ll l	- Formatted
	out for manual handling, that a			(10111111111111111111111111111111111111
	LEC due to CLEC caused error			
	irrences.	,		
Levels of	Disaggregation:			
•]	WSNAP			
• <u>I</u>	<u>ENHANCED</u> LEX			
• I	EDI			
• 1	WCIWIN			
x				- Deleted: ¶
	addition, for each interface SBC			Inserted: ¶
	ype (Resale POTS, UNE comb			
	ons), UNE loops, DSL-capable		payments will not	(
ipply to th	ne reports that are disaggregate			Deleted:
	Calculation:	Report Stru	cture:	
				Deleted: 03/13/03
				Inserted: 03/13/03
			,	Deleted: 03/12/03
			/ // // //	Inserted: 03/12/03

(# of orders that flow through ÷ total flow through eligible / MOG-eligible	Reported by individual CLEC, CLECs and SBC SNET and SWB		
orders) * 100	affiliate.	 Deleted:	
Measurement Type:			
Y2 – High			
Y3 - High			
-			
Benchmark:			
Parity			

Deleted: 03/13/03

Inserted: 03/13/03

Deleted: 03/12/03

Inserted: 03/12/03

A. Provisioning

4a. Measurement

Percent SBC SNET Caused Missed Due Dates,

Definition:

Percent of N, T, C orders, (by circuits for specials) where installation was not completed by the due date or were cancelled after the due date as a result of a SBC SNET Caused Missed Due Date.

Exclusions:

- Excludes orders that are not N, T, or C
- Excludes Interconnection Trunks
- Excludes Customer Caused Misses

Business Rules:

The Due Date is the negotiated date by the customer and the SBC SNET representative for service activation. For CLEC orders, the due date is the due date reflected on the FOC. The Completion Date is the day that SBC SNET personnel complete the service order activity, POTS and UNE-RS are measured at he order level. Resale specials are measured at the circuit level. This measure includes in both the numerator and denominator the number of orders cancelled after a SBC SNET – caused missed due date.

Levels of Disaggregation:

POTS

- Field Work (FW)
- No Field Work (NFW)
- Business class of service
- Residence class of service

UNE-RS

- Field Work (FW)
- No Field Work (NFW)

Calculation:

Resale Specials

- Resold Specials DDS, DS1, DS3, DSL, Voice Grade Private Line (VGPL),
 ISDN BRI, ISDN PRI, and any other services available for resale.
- UNE Loop and Port ISDN and other combinations

Deleted: - POTS

Formatted: Bullets and Numbering

Deleted: the UNE Combinations, are reported at order level.

Formatted: Bullets and Numbering

Formatted: Bullets and Numbering

Deleted: 03/13/03 **Inserted:** 03/13/03

Deleted: 03/12/03

Inserted: 03/12/03


Version 3.0-Redlined 07/09/03

A-24

Report Structure:

(Count of N, T, C orders/circuits not Reported for CLEC, all CLECs and completed by the due date or SBC SNET cancelled after the due date as a result of a SBC SNET cause excluding customer caused misses ÷ total number of orders/circuits plus total cancels as a result of SBC SNET caused missed due dates) * 100 **Measurement Type:** Y2 - HighY3 - High Benchmark: Resale POTS parity between FieldWork compared to SBC SNET Field Work (N, T, Deleted: C order types) and No Field Work compared to SBC SNET Retail No Field Work (N, T, C order types). UNE-RS Parity between FieldWork compared to SBC SNET Field Work (N, T, C Deleted: order types) and No Field Work compared to SBC SNET Retail No Field Work. (N, T, C order types) Resale Specials - Parity with SBC SNET Retail Deleted: SWBT

Deleted: 03/13/03
Inserted: 03/13/03
Deleted: 03/12/03



Deleted: 4b. Measurement

Deleted: Percent SWBT Caused Missed Due Dates - Design

Deleted: Definition:

Deleted: Percent of N, T, C orders by circuit where installations were not completed by the due date or were cancelled after the due date that were caused by SWBT.

Deleted: Exclusions:

Deleted: <#>UNE and Interconnection Trunks¶ <#>Excludes orders that are not N, T, or C¶

Excludes customer caused misses.

Deleted: Business Rules:

Deleted: The Due Date is the negotiated date that is returned on the FOC by SWBT for service activation. The Completion Date is the day that SWBT personnel complete the service order activity. This measure includes in both the numerator and denominator the number of orders cancellec after a SWBT - caused missed due date. The source is WFA (Work Force Administration) and data is reported at a circuit level. Specials are selected based on a specific service code off of the circuit ID

Deleted: Levels of Disaggregation:

Deleted: <#>Resold Specials - DDS, DS1, DS3, Voice Grade Private Line (VGPL), ISDN-BRI, ISDN-PRI, DSL, and any other services available for resale.¶

UNE Loop and Port - ISDN and other combinations.

Deleted: Calculation:

Deleted: Report Structure:

Deleted: (Count of circuits with missed due dates or were canceled after the due date that were caused by SWBT excluding customer caused misses ÷ total number of circuits and those that were canceled after the due date that were caused by SWBT)* 100

Deleted: Reported for CLEC, all CLECs and SWBT

Deleted: Benchmark:

Deleted: Parity with SWBT Retail

Deleted: 03/13/03

Inserted: 03/13/03

Deleted: 03/12/03

4c. Measurement

Percent SBC SNET Caused Missed Due Dates - UNE

Definition:

Percent of UNEs (8db loops are measured at an order level) where installations are not completed by the negotiated due date.

Exclusions:

- Specials and Interconnection Trunks
- Excludes UNE-RS captured in the POTS or Specials measurements
- Exclude orders that are not N, T, or C
- Excludes customer caused misses

Business Rules:

The Due Date starts the clock. The Completion Date is the day that SBC SNET personnel complete the service order activity, which stops the clock. If the completion date is after the Due Date, the order is flagged as a miss. This measurement is reported at a circuit level for all UNEs with the exception of 8db loops, which are reported at an order level to facilitate comparison with POTS retail. This measure includes in both the numerator and denominator the number of orders canceled after a SBC SNET-caused missed due date.

Levels of Disaggregation:

- UNEs contained in the SBC SNET CT Access Tariff, and / or agreed to by the parties including INP only
- DSL loops with line sharing
- DSL loops with no line sharing
- DSL loops with Line Splitting
- Broadband service product.
 - Broadband Loops with Line Sharing
 - Broadband Loops with No Line Sharing
 - Combined voice and data loops with no Line Sharing

Calculation:	Report Structure:
Count of UNEs (8dB loops are measured at an order level) with missed due dates excluding customer caused misses ÷ total number of UNEs (total orders for 8db loops) *100	Reported by CLEC and all CLECs, SBC SNET or affiliates.

Measurement Type:

Y2 - High

Y3 - High

<u>Payments</u> will be made on either a combination of PM6c and PM 6c.1or PM 4c, (but not both), whichever yields the higher dollar amount.

Benchmark:

Formatted: Bullets and Numbering

Deleted: (Note: Additional disaggregations may be required as necessary in the future.

Formatted: Bullets and Numbering

Deleted: 03/13/03

Inserted: 03/13/03

Deleted: 03/12/03

Inserted: 03/12/03

Version 3.0-Redlined 07/09/03

A-27

Parity:	Retail Comparison	
1a. 8.0 dB Loop with Test Access and	POTS (Res/Bus FW)	
8.0 dB Loop without Test Access (FW)		
1b, 8.0 dB Loop with Test Access and		 Deleted: a
8.0 dB Loop without Test Access (NFW)	POTS (Res/Bus NFW)	
2. 5.0 dB Loop with Test Access and		
5.0 dB Loop without Test Access	Parity with SBC SNET VGPL	
3. BRI Loop with Test Access	ISDN/BRI	
4. ISDN BRI Port	ISDN/BRI	
5. DS1 Loop with Test Access	DS1	
6. DS1 Dedicated Transport	DS1	
7. Subtending Channel (23B <u>and 1D</u>)	DDS	
8. Analog Trunk Port	VGPL	 Deleted: 8. Subtending Channel
9. Analog Line Port	<u>VGPL</u>	(1D) DDS¶ 9
10. Subtending Digital Direct Combination Trunks	VGPL	
11. DS3 Dedicated Transport and Loop	DS3	
12. Dark Fiber	DS3	
13. DSL Loops – Line Sharing	1% 14. DSL Loops – Non-Line	 Deleted:
Sharing 5% (No Critical z-value a	* *	
15. DSL loops with Line Splitting	1%	
16. Broadband DSL – Line Sharing	Parity with ASI or SBC SNET Retail	
17. Broadband DSL – No Line Sharing	5% (Critical z-value does not apply.)	
18. Combined voice and data – No Line Sharing	5% (Critical z-value does not apply.)	
19 INP	POTS (Res/Bus NFW)	
20. OCN Loops	<u>Diagnostic.</u>	
21. EELS	<u>Diagnostic</u>	
• 2 wire analog		 Formatted: Bullets and Numbering
• 4 wire analog		
• 2 wire digital		
• 4 wire digital		
Transport (DS0, DS1, DS3, OCx)		
 Multiplexing 		

Deleted: 03/13/03

Inserted: 03/13/03

Deleted: 03/12/03

Inserted: 03/12/03

4d. Measurement

Percent Mechanized Completion Notifications Available_Within one Day Of Work Completion

Definition:

Percent Mechanized Completion Notifications Available Within one Day

Exclusions

Exclude Weekends and Holidays

Business Rules:

Days are calculated by subtracting the date the SOC was available to the CLEC via Enhanced EDI/LEX minus the order completion date. If the CLEC accesses SBC SNET systems using a Service Bureau Provider, the measurement of SBC SNET systems using a Service Bureau Provider processing, availability or response time.

Levels of Disaggregation:

None

None			
Calculation:	Report Structure:		
(# mechanized completion	Reported by CLEC and all CLECs		
notifications returned to the CLEC	and SBC SNET Affiliate		
within 1 day of work completion ÷			
total mechanized completion			
notifications) * 100			

Measurement Type:

Y2 - Low

Y3 - Low

Benchmark:

97%

The critical z-value does not apply.

Deleted: 03/13/03
Inserted: 03/13/03
Deleted: 03/12/03

5a. Measurement Percent Trouble Report Within X Days (I-10/1-30) of Installation Deleted: POTS/UNE-P **Definition:** Deleted: 10 Percent of N, T, C orders, (by circuit for specials) that receive an electronic or Deleted: 1 manual trouble report on or within 10 calendar days for POTS/UNE-RS, or 30 Deleted: UNE-P calendar days for specials, of service order completion. Deleted:) **Exclusions:** Excludes subsequent reports. A subsequent report is a repair report that is received while an existing repair report is open on the same number. Excludes reports classified as excludable (Official Category -OFFCAT - greater **Formatted** than "1"). Excludes reports caused by customer provided equipment (CPE) or wiring Interexchange Carrier/Competitive Access Provider, and Informational Excludes trouble report received on the due date before service order Excludes Stand Alone UNE and Interconnection Trunks Formatted: Bullets and Numbering **Formatted** Deleted: ¶ **Deleted:** 03/13/03 **Inserted:** 03/13/03 **Deleted:** 03/12/03 Inserted: 03/12/03

Business Rules:

POTS/UNE-RS

Includes reports received the day after SBC SNET personnel complete the service order through 10 calendar days after completion. The denominator for this measure is the total count of orders posted within the reporting month. (However, the denominator will at a minimum equal the numerator). The numerator is the number of trouble reports received within 10 days of service order completion. These will be reported the month that they are closed. This will include troubles taken on the day of completion found to be as a result of a UNE-RS conversion.

Resale specials

A trouble report is counted if it is flagged on WFA (Work Force Administration) as a trouble report that had a service order completion within 30 days. It cannot be a repeat report. The order flagged against must be an addition in order for the trouble report to be counted. Specials are selected based on a specific service code off of the circuit ID. The denominator for this measure is the total count of orders posted within the reporting month. (However, the denominator will at a minimum equal the numerator). The numerator is the number of trouble reports received within 30 days of service order completion and closed within the reporting month.

Deleted: 03/13/03

Inserted: 03/13/03

Deleted: 03/12/03

Levels of Disaggregation: N, T and C Orders **POTS**

- Field Work (FW)
- No Field Work (NFW)
- Business class of service
- Residence class of service

UNE-RS

- Field Work (FW)
- No Field Work (NFW)

Resale Specials:

- Resold Specials DDS, DS1, DS3, DSL, Voice Grade Private Line (VGPL), ISDN - BRI, ISDN - PRI, and any other services available for resale.
- UNE Loop and Port ISDN and other combinations

Calculation: (Count of initial electronic or manual trouble reports on or within X (where X is 10 days for POTS, UNE-RS and 30 days for resale specials) calendar days of service order completion ÷ total # of orders/total circuits) * 100

Report Structure:

Reported for POTS Resale by CLEC. total CLECs and SBC SNET

Measurement Type:

Y2 - High

Y3 - High

Deleted: ¶

Deleted: 03/13/03

Inserted: 03/13/03

Deleted: 03/12/03

Inserted: 03/12/03

Version 3.0-Redlined 07/09/03

Benchmark:

A-32

Deleted: UNE-P

Deleted: UNE-RS N and T orders Inserted: UNE-RS N and T orders

Formatted: Bullets and Numbering

Deleted: Combo

Deleted: ¶

<#>Field Work (FW)¶ <#>No Field Work (NFW)¶ UNE-RS C orders¶ <#>Field Work (FW)¶
<#>No Field Work (NFW)¶

Inserted: -P

Inserted: UNE-RS C orders¶ <#>Field Work (FW)¶ <#>No Field Work (NFW)¶

Formatted: Bullets and Numbering

Deleted: 10

POTS

Resale POTS parity between Field Work compared to SBC SNET Field Work (N, T, C order types) and No Field Work compared to SBC SNET Retail No Field Work (N, T, C order types).

UNE-RS

<u>Parity between Field Work New and Move orders compared to SBC SNET Field Work New and Move orders.</u> Parity between Field Work Change and Conversion <u>orders compared to SBC SNET Field Work Change orders.</u>

Parity between No Field Work New and Move orders compared to SBC SNET No Field Work New and Move orders. Parity between No Field Work Change and Conversion orders compared to SBC SNET No Field Work Change orders.

Resale Specials Parity with SBC SNET Retail

<u> </u>	 			
V				
•				
<u> </u>	 			
<u> </u>				
	 		V	
_		v		
*	 			

Deleted: UNE Combo Parity between Field Work compared to SWBT Field Work (N, T, C order types) and No Field Work compared to SWBT Retail No Field Work (N, T, C order types).

Deleted: 5b. Measurement

Deleted: Percent Installation Reports (Trouble Reports) Within 30 Days (I-30) of Installation

Deleted: Definition:

Deleted: Percent of N, T, C orders by item that receive a customer trouble report within 30 calendar days of service order completion

Deleted: Exclusions:

Deleted: <#>UNE and Interconnection Trunks¶ <#>Excludes orders that are not N, T, or C¶

<#>Excludes trouble report received
on the due date before service order
completion¶

Excludes trouble tickets that are coded to Customer Premise Equipment, Interexchange Carrier/Competitive Access Provider, and Informational

Deleted: Business Rules:

Deleted: A trouble report is counted if it flagged on WFA (Work Force Administration) as a trouble report that had a service order completion within 30 days. It cannot be a repeat report. The order flagged against must be an addition in order for the trouble report to be counted. Specials are selected based on a specific service code off of the circuit ID. The denominator for this measure is the total count of orders posted within the reporting month. (However, the denominator will at a minimum equal the numerator). The numerator ... [6]

Deleted: Levels of Disaggregation:

Deleted: See Measurement 4b.

Deleted: Calculation:

Deleted: Report Structure:

Deleted: (Count of circuits that receive a customer trouble report ... [7]

Deleted: Reported for CLEC, all CLECs and SWBT

Deleted: Benchmark:

Deleted: Parity with SWBT Retail

Deleted: 03/13/03

Inserted: 03/13/03

Deleted: 03/12/03

5c. Measurement

Percent Installation Reports (Trouble Reports) Within "X" calendar days, where "X" is 10 calendar days for 8db loops and 30 calendar days for all other UNEs (I-10/30) of Installation

Definition:

Percentage of UNEs that receive a customer trouble report within X" calendar days, where "x" is 10 calendar days for 8db loops and 30 calendar days for all other UNEs, of service order completion.

Exclusions:

- Specials and Interconnection Trunks
- UNE-RS captured in the POTS or Specials measurements
- ___rouble report received on the due date before service order completion
- Trouble tickets that are coded to Customer Premise Equipment, Interexchange Carrier/Competitive Access Provider, and Informational
- Loops without test access BRI
- Orders that are not N, T, or C
- DSL loops > 12Kf with load coils, repeaters, and/or excessive bridged tap (as indicated on the Loop Qual) for which the CLEC has not authorized conditioning and those load coils, repeaters, and bridged taps that are determined to be the cause of trouble.
- PTRs
- Trouble reports caused by lack of digital test capabilities on 2-wire BRI and IDSL capable loops where acceptance testing is available and not selected by the CLEC.
- Trouble reports for DSL stand alone loops caused by the lack of loop
 acceptance testing between CLEC and SBC SNET due to CLEC reasons on the
 due date.
- UNE DS1 Loop trouble reports where CLEC chooses not to do cooperative testing or acceptance testing between CLEC and SBC due to CLEC reasons on the due date

Business Rules:

A trouble report is counted if it is received within "X" calendar days, where "X" is 10 calendar days for 8db loops and 30 calendar days for all other UNEs, calendar days of a service order completion. UNEs are selected based on a specific service code off of the circuit ID. This measurement is reported at a circuit level. The denominator for this measure is the total count of circuits posted within the reporting month. (However, the denominator will at a minimum equal the numerator). The numerator is the number of trouble reports received within "X" calendar days where "X" is 10 calendar days for 8db loops and 30 calendar days for all other UNEs, calendar days of service order completion that were closed during the reporting month.

Levels of Disaggregation:

Deleted: Excludes

Deleted: Excludes

Deleted: t

Deleted: Excludes

Deleted: t

Deleted: Excludes

Deleted: 1

Deleted: Excludes

Deleted: o

Deleted: Excludes

Deleted: unless coded to the Central

Office

Deleted: Excludes

Deleted: Excludes

Deleted: t

Deleted: Excludes

Deleted: t

Formatted: Bullets and Numbering

Deleted: 03/13/03

Inserted: 03/13/03

Deleted: 03/12/03

UNEs contained in the SBC SNET CT Access Tariff, and / or agreed to by the DSL loops with line Sharing DSL loops with no line sharing DSL Loops with Line Splitting Formatted: Bullets and Numbering Broadband service product. Deleted: (Note: Additional disaggregations may be required as • Broadband loops with Line Sharing necessary in the future. • Broadband loops with No Line Sharing Formatted: Bullets and Numbering • Combined voice and data loops with No Line Sharing Calculation: **Report Structure:** Reported for CLEC and all CLECs, (Count of UNEs that receive a **Formatted** customer trouble report within "X" SBC SNET or its affiliate. calendar days where "X" is 10 calendar days for 8db and 30 calendar days for all other UNEs, of service order completion ÷ total UNEs) * 100 **Measurement Type:** Y2 – High Y3 - High **Deleted:** 03/13/03 Inserted: 03/13/03 Benchmark:

Deleted: 03/12/03 **Inserted:** 03/12/03

Version 3.0-Redlined 07/09/03

Note: The following may not represent an exhaustive list of those UNEs in the SBC SNET CT Access Tariff. The UNEs below represent those UNEs that were in place at the time of the previous 6-month review and for which the commission has approved a retail analog or benchmark for comparison purposes. Deleted: ¶ Parity: Retail Comparison 1. 8.0 dB Loop with Test Access and POTS (Bus FW/NFW) 8.0 dB Loop without Test Access (FW/NFW) 2. 5.0 dB Loop with Test Access and 5.0 dB Loop without Test Access Parity with SBC SNET VGPL 3. BRI Loop with Test Access **ISDN** 4. ISDN BRI Port **ISDN** 5. DS1 Loop with Test Access DS1 6. DS1 Dedicated Transport DS1 7. Subtending Channel (23B and 1D) DDS Deleted: 8. Subtending Channel DDS **VGPL** & Analog Trunk Port Deleted: 9 **VGPL** 9. Analog Line Port 10. Subtending Digital Direct Combination Trunks VGPL 11. DS3 Dedicated Transport and Loop DS₃ 12. Dark Fiber DS3 14 13. DSL Loops – Line Sharing DSL Loops with line sharing (ASIor SBC SNET Retail)DSL Loops – No Line Sharing Deleted: (No Critical z-value applies) Deleted: ¶ 15. DSL loops with Line Splitting Parity with ASI Line Sharing SBC SNET Retail 16. Broadband DSL – Line Sharing Parity with ASI or SBC_SNET Retail 17. Broadband DSL – No Line Sharing 6.0% (Critical z-value does not apply) 18. Combined voice and data – No Line Sharing 6.0% (Critical z-value does not apply) 19. INP POTS (Res/Bus NFW) 20. OCN Diagnostic 21. EELS Diagnostic • 2 wire analog Formatted: Bullets and Numbering • 4 wire analog 2 wire digital 4 wire digital Transport (DS0, DS1, DS3, OCx) Multiplexing

Deleted: 03/13/03

Inserted: 03/13/03

Deleted: 03/12/03

Inserted: 03/12/03

Version 3.0-Redlined 07/09/03

6a. Measurement

Mean Installation Interval

Definition:

Average business days from application date to completion date. (Specials for N, T and C orders by circuit)

Exclusions:

- Excludes customer caused misses
- Field Work orders excludes customer requested due dates greater than 5 business days
- No Field Work orders excluded if order applied for before 3:00 PM; and the due date requested is not same day; and if order applied for after 3:00 PM; and the due date requested is beyond the next business day
- Excludes all orders except N, T, and C orders
- Excludes Weekends and Holidays
- Excludes expedites for which the CLEC pays
- Stand alone UNE and Interconnection Trunks (Specials)
- Customer Caused Misses (Specials)
- Excludes expedites for which the Customer pays (Specials)

Business Rules:

POTS -

The clock starts on the Application Date, which is the day that SBC SNET receives a correct Service Order/LSR(Enhanced LEX or EDI). The clock stops on the Completion Date that is the day that SBC SNET personnel complete the service order activity. Orders are included in the month they are completed. There are 2 types of orders in the measurement. Same Day Due orders (defined as distribution time EQUAL or BEFORE 3:00 PM and Application Date = Distribution Date = Due Date. Next Day Due orders (defined as distribution time AFTER 3:00 PM and Application Date = Distribution Date and Due Date is 1 business day after Application Date. If the order is Same Day Due, then (Completion – Application Date), if the order is Next Day Due, then ((Completion – Next Business Day) + 1). UNE-RSs, are reported at order level. Customer not ready/no access situation will be found to be SBC SNET caused missed due date outside the CLEC provided access hours.

Specials -

The Application Date is the day that SBC SNET receives a correct Service Order/LSR. The Completion Date is the day that SBC SNET personnel complete the service order activity by circuit. The base of items is out of WFA (Work Force Administration) and this measure is reported at a circuit level.

Levels of Disaggregation:

Deleted:

Formatted: Bullets and Numbering

Deleted: ¶

Deleted: SWBT

Deleted: the customer initiated the service request

Deleted: SWBT

Deleted: 03/13/03

Inserted: 03/13/03 **Deleted:** 03/12/03

POTS

- Field Work (FW)
- No Field Work (NFW)
- Business class of service
- Residence class of service

UNE-RS

- Field Work (FW)
- No Field Work (NFW)

Specials

- Resold Specials DDS, DS1, DS3, Voice Grade Private Line (VGPL), ISDN BRI, ISDN PRI, DSL and any other services available for resale.
- UNE Loop and Port ISDN and other combinations

Calculation:	Report Structure:
[Σ (completion date – application date)]/(Total number of orders/circuits completed)	Reported for CLEC, all CLECs and SBC SNET

Measurement Type:

Y2 – Diagnostic

Y3 - Diagnostic

Benchmark:

Resale POTS parity between Field Work compared to SBC SNET Field Work (N, T, C order types) and No Field Work compared to SBC SNET Retail Field Work (N, T, C order types). UNE-RS Parity between Field Work compared to SBC SNET Field Work (N, T, C order types) and No Field Work compared to SBC SNET Retail Field Work. (N, T, C order types)

Specials

Parity with SBC SNET Retail

Formatted: Bullets and Numbering

Deleted: High

Deleted: High

Deleted: SWBT


Deleted: 03/13/03

Inserted: 03/13/03

Deleted: 03/12/03

Inserted: 03/12/03

Version 3.0-Redlined 07/09/03



Deleted: 6b. Measurement

Deleted: Average Installation Interval - Design

Deleted: Definition:

Deleted: Average business days from application date to completion date for N, T, C orders by item or circuit.

Deleted: Exclusions:

Deleted: <#>UNE and Interconnection Trunks ¶ <#>Excludes orders that are not N, T, or C¶

= <#>Excludes circuits that have a customer requested Due Date greater than 20 business days \P

Excludes Weekends and Holidays = Excludes Customer Caused Misses ¶ Excludes expedites for which the customer paid

Deleted: Business Rules:

Deleted: The Application Date is the day that the customer initiated the service request. The Completion Date is the day that SWBT personnel complete the service order activity by circuit. The base of items is out of WFA (Work Force Administration) and this measure is reported at circuit

Deleted: Levels of Disaggregation:

Deleted: See Measurement 4b.

Deleted: Calculation:

Deleted: Report Structure:

Deleted: \sum (completion date application date)] + (Total number of circuits completed)

Deleted: Reported for CLEC, all CLECs and SWBT

Deleted: Benchmark:

Deleted: Parity with SWBT Retail

Deleted: 03/13/03

Inserted: 03/13/03

Deleted: 03/12/03

6c. Measurement

Percent (UNEs) Installations Completed Within -The Customer Requested Due Date

Definition:

Measure of orders completed within the customer requested due date when that date is greater than or equal to the standard offered interval as defined in the CLEC manual or if expedited (accepted or not accepted), the date agreed to by SBC SNET.

Exclusions:

- Specials and Interconnection Trunks
- Excludes UNE-RS captured in the POTS or Specials measurements
- Exclude orders that are not N, T, or C
- Excludes customer caused misses
- Excludes Weekends and Holidays
- Excludes orders captured in PM 6c.1 (LNP With Loop)

Business Rules:

The Application Date is the day that the customer initiated the service request. The Completion Date is the day that SBC SNET personnel complete the service order activity by circuit. For orders requiring negotiated due dates, the negotiated due date will be considered the customer requested due date. This measure includes expedites agreed to by SBC SNET. This measure is reported at a circuit level.

Levels of Disaggregation:

- UNEs contained in the SBC SNET CT Access Tariff, and / or agreed to by the parties.
- DSL loops with line Sharing
- DSL loops with no line sharing
- DSL Loops with Line Splitting
- Broadband service product (Note: Additional disaggregations may be required as necessary in the future.

Calculation:	Report Structure:
Count of orders installed within the	Reported for CLEC and all CLECs,
customer requested due date ÷ total	and SBC SNET for parity measures
orders) * 100	affiliate as appropriate.

Measurement Type:

Y2 - High

Y3 - High

Payments will be made on either a combination of PM 6c and 6c.1 or PM 4c, (but not both), whichever yields the higher dollar amount.

Benchmark:

Formatted: Bullets and Numbering

Deleted: 03/13/03

Inserted: 03/13/03

Deleted: 03/12/03

Inserted: 03/12/03

Note: The following may not represent an exhaustive list of those UNEs in the SBC SNET CT Access Tariff. The UNEs below represent those UNEs that were in place at the time of the previous 6-month review and for which the commission has approved a retail analog or benchmark for comparison purposes.

95% within the customer requested due date. The following standard offered intervals apply:

- 2 Wire Analog and Digital and INP (1-10) 3 Days
- 2 Wire Analog and Digital and INP (11-20) 7 Days
- 2 Wire Analog and Digital and INP (20+) 10 Days
- BRI Loops (1-10) 4 Days
- BRI Loops (11-20) 10 Days
- BRI Loops (20+) Negotiate
- DS1 loop(includes PRI) (1-10) 3 Days
- DS1 loop(includes PRI) (11-20) 7 Days
- DS1 loop(includes PRI) (20+) 10 Days
- Switch Ports Analog Port 2 Days
- Switch Ports BRI Port (1-50) 3 Days
- Switch Ports BRI Port (50+) 5 Days
- Switch Ports PRI Port (1-20) 5 Days
- Switch Ports PRI Port (20+) 10 Days
- DS1 Trunk Port (1 to 10) 3 days
- DS1 Trunk Port (11 to 20) 5 Days
- DS1 Trunk Port (20+) ICB
- Dedicated Transport (DS0, DS1, and DS3) (1 to 10) 3 days
- Dedicated Transport (DS0, DS1, and DS3) (11 to 20) 5 Days
- Dedicated Transport (DS0, DS1, and DS3) (20+) and all other types ICB
- DSL with no Line Sharing Non Conditioned 5 Days
- DSL with no Line Sharing Conditioned 10 Days
- DSL Loops with Line Splitting Parity with ASI Line Sharing or SBC SNET Retail
- Broadband DSL with no Line Sharing Non Conditioned 5 Days
- Broadband DSL with no Line Sharing Conditioned 10 Days
- EELS (Diagnostic)
 - 2 wire analog
 - 4 wire analog
 - 2 wire digital
 - 4 wire digital
 - Transport (DS0, DS1, DS3, OCx)
 - Multiplexing

Parity with ASI

- DSL with Line Sharing
- Broadband DSL with Line Sharing

90% within the customer requested due date. The following standard offered intervals apply:

• INP (1-10 Numbers) – 3 days

Version 3.10 Red(inled 20 Numbers) - 7 days

 $\frac{07/09/03}{1}$ INP (> 20 Numbers) – 10 days

A-41

Formatted: Bullets and Numbering

Deleted: ¶
Inserted: ¶

Formatted: Bullets and Numbering

Formatted: Bullets and Numbering

Deleted: 03/13/03 **Inserted:** 03/13/03

Deleted: 03/12/03

** Note - the standard offered intervals listed above are no longer relevant since the measure was changed in version 1.7 of the business rules from, "Percent Installations Completed Within "X" Days" to, "Percent (UNE) Installations Completed Within the Customer Requested Due Date".

Deleted: 03/13/03

Inserted: 03/13/03

Deleted: 03/12/03

Inserted: 03/12/03

Version 3.0-Redlined 07/09/03

6c.1 Measurement

Percent Installations Completed within the Customer Requested Due Date for LNP With Loop

Definition:

Percent installations completed within the customer requested due date when that date is greater than or equal to the standard offered interval as defined in the CLEC manual or if expedited (accepted or not accepted), the date agreed to by SBC_SNET

Exclusions:

- Specials and Interconnection Trunks.
- Excludes UNE Combinations captured in the POTS or Specials measurements.
- Exclude orders that are not N, T, or C.
- Excludes customer caused misses.
- NPAC caused delays unless caused by SBC SNET.

Business Rules:

The start time is the date of the receipt of an accurate LSR. The Completion Date is the day that SBC SNET personnel complete the service order activity. If the CLEC submits the LSR prior to 3:00 p.m. the CLEC may request a 3 day interval. If the LSR is submitted after 3:00 p.m. the CLEC can request a 4 day interval. The base of items is out of WFA (Work Force Administration) and it is reported at an order level to account for different measurement standards based on the number of circuits per order.

For partial LNP conversions that require restructuring of customer account:

- 1-30 TNs: Add one additional day to the FOC interval. The LNP due date
 intervals will continue to be three business days and five business days from the
 receipt of the FOC depending on whether the NXX has been previously opened
 or is new.
- >30 TNs, including entire NXX: The due dates are negotiated.

Levels of Disaggregation:

- Aggregate
 - Loop with LNP (1-10)
 - Loop with LNP (11-20)
 - Loop with LNP (>20)
- CHC Diagnostic
 - Loop with LNP (1-10)
 - ➤ Loop with LNP (11-20)
 - Loop with LNP (>20)
- FDT Diagnostic
 - Loop with LNP (1-10)
 - Loop with LNP (11-20)
 - ➤ Loop with LNP (>20)

Deleted: 03/13/03 **Inserted:** 03/13/03

Deleted: 03/12/03

Calculation:	Report Structure:
Count of N, T, C orders installed within customer requested due date ÷ total N, T, C orders excluding those requested earlier than the standard offered interval) * 100	Reported for CLEC and all CLECs.

Measurement Type:

Y2 - High

Y3 - High

<u>Payments</u> will be made on either a combination of PM6c and PM 6c.1 or PM 4c, (but not both), whichever yields the higher dollar amount.

Benchmark:

95% within the customer requested due date for aggregate only. CHC and FDT are provided on a diagnostic basis and are not subject to damages or assessments.

7a. Measurement

Average Delay Days For SBC SNET Caused Missed Due Dates -UNE

Definition:

Average calendar days from due date to completion date on company missed orders/circuits.

Exclusions:

- Excludes orders that are not N, T, or C.
- Excludes UNE and Interconnection Trunks
- Excludes Customer Caused Misses

For Specials Only:

 Excludes any incremental days attributable to the CLEC after the initial SBC SNET caused delay. Does not exclude No Access attributable to the end user after the initial due date has been missed by SBC SNET.

Business Rules:

Resale POTS and UNE-RS - The Due Date is the customer requested due date when that date is greater than or equal to the offered interval, or if expedited (accepted or not accepted), the date agreed to by SBC SNET which is the due date reflected on the FOC. The Completion Date is the day that SBC SNET personnel complete the service order activity UNE-RS are reported by the order that completes the service activity. POTS and UNE-RS are reported at the order level.

Specials - The calculation is the difference in calendar days between the completion date and the due date. The source is WFA (Work Force Administration) and is reported at a circuit level. Specials are selected based on a specific service code off of the circuit ID.

Levels of Disaggregation:

Deleted: Combinations

Deleted: UNE-P

Deleted: --

Inserted:

-Page Break-

-Page Break-

Deleted: 03/13/03

Inserted: 03/13/03 **Deleted:** 03/12/03

Inserted: 03/12/03

Version 3.0-Redlined 07/09/03

POTS

- Field Work (FW)
- No Field Work (NFW)
- Business class of service
- Residence class of service

UNE-RS -

- Field Work (FW)
- No Field Work (NFW)

Resale Specials And all other UNEs:

• Resold Specials - DDS, DS1, DS3, DSL, Voice Grade Private Line (VGPL), ISDN - BRI, ISDN - PRI, and any other services available for resale.

• UNE Loop and Port - ISDN and other combinationsing

\ 1	ed for CLEC, all CLECs and
(total # of completed orders/posted circuits with a SBC SNET caused missed due date)	NET.

Measurement Type:

Y2 - Low

Y3 - Low

Benchmark:

Resale POTS parity between Field Work compared to SBC SNET Field Work (N, T, and C order types) and No Field Work compared to SBC SNET Retail No Field Work (N, T, and C order types).

UNE-RS Parity between Field Work compared to SBC SNET Retail Field Work (N,T, and C order types) and No Field Work compared to SBC SNET Retail No Field Work (N,T, and C order types).

Resale Specials Parity with SBC SNET Retail

Deleted: UNE Combo

Deleted: UNE-P
Inserted: UNE-P

Formatted: Bullets and Numbering

Deleted: UNE Combo Parity between Field Work compared to SWBT Field Work (N, T, and C order types) and No Field Work compared to SWBT Retail No Field Work (N, T, and C order types).

Deleted: UNE-P

Deleted: SWBT


Deleted: 03/13/03

Inserted: 03/13/03

Deleted: 03/12/03

Inserted: 03/12/03

Version 3.0-Redlined 07/09/03



Deleted: 7b. Measurement

Deleted: Average Delay Days For SWBT Caused Missed Due Dates -Design

Deleted: Definition:

Deleted: Average calendar days from due date to completion date on company missed circuit orders.

Deleted: Exclusions:

Deleted: <#>UNE and Interconnection Trunks.¶ <#>Excludes orders that are not N, T, or C.¶

Excludes Customer Caused Misses

Deleted: Business Rules:

Deleted: The calculation is the difference in calendar days between the completion date and the due date. The source is WFA (Work Force Administration) and is at an item or circuit level. Specials are selected based on a specific service code off of the circuit ID.

Deleted: Levels of Disaggregation:

Deleted: See Measurement 4b.

Deleted: Calculation:

Deleted: Report Structure:

Deleted: Σ(Completion date – committed circuit due date) ÷ (# of posted –circuits with a SWBT caused missed due date)

Deleted: Reported by CLEC, all CLECs and SWBT Retail Specials.

Deleted: Benchmark:

Deleted: Parity with SWBT Retail.

Deleted: 03/13/03

Inserted: 03/13/03

Deleted: 03/12/03

7c. Measurement

Average Delay Days For SBC SNET Caused Missed Due Dates

Definition:

Average calendar days from the customer requested due date when that date is greater than or equal to the offered interval, or if expedited (accepted or not accepted), the date agreed to by SBC SNET that is the due date reflected on the FOC, to completion date on company missed UNEs (8db loops are measured at an order level).

Exclusions:

- Specials and Interconnection Trunks.
- Excludes <u>UNE-RS</u> captured in the POTS or Specials measurements.
- Excludes orders that are not N, T, or C.
- Excludes any incremental days attributable to the CLEC after the initial SBC SNET caused delay. Does not exclude No Access attributable to the end user after the initial due date has been missed by SBC SNET.

Business Rules:

The calculation is the difference in calendar days between the completion date and the FOC due date. The Due Date is the customer requested due date when that date is greater than or equal to the offered interval. If expedited (accepted or not accepted), the Due Date is the date agreed to by SBC SNET, which is the due date reflected on the FOC. The data is reported at a circuit level UNEs are selected based on a specific service code off of the circuit ID. This measurement is reported at a circuit level for all UNEs with the exception of 8db loops, which are reported at an order level to facilitate comparison with POTS retail.

Levels of Disaggregation:

UNEs contained in the SBC SNET CT Access Tariff, and/or agreed to by parties.

- DSL loops with line Sharing
- DSL loops with no line sharing
- DSL Loops with Line Splitting
- Broadband service product_
 - Broadband Loops with Line Sharing
 - Broadband Loops with No Line Sharing
 - Combined voice and data loops with no Line Sharing

Deleted: which

Deleted: UNE Combo

Deleted: s

Formatted: Bullets and Numbering

Deleted: (Note: Additional disaggregations may be required as necessary in the future

Formatted: Bullets and Numbering

Calculation:

Report Structure:

Deleted: 03/13/03

Inserted: 03/13/03

Deleted: 03/12/03

Reported for CLEC and all CLECs, SBC SNET or affiliates.

Deleted: 03/13/03 **Inserted:** 03/13/03

Deleted: 03/12/03

Inserted: 03/12/03

Benchmark:

Note: The following may not represent an exhaustive list of those UNEs in the SBC SNET CT Access Tariff. The UNEs below represent those UNEs that were in place at the time of the previous 6-month review and for which the commission has approved a retail analog or benchmark for comparison purposes Parity: **Retail Comparison** 1a. 8.0 dB Loop with Test Access and 8.0 dB Loop without Test Access (FW) POTS (Res./Bus FW) 1b. 8.0 dB Loop with Test Access and POTS (Res./Bus NFW) -8.0 dB Loop without Test Access (NFW) 2. 5.0 dB Loop with Test Access and 5.0 dB Loop without Test Access Parity with SBC SNET VGPL 3. BRI Loop with Test Access ISDN/BRI 4. ISDN BRI Port ISDN/BRI 5. DS1 Loop with Test Access DS1 6. DS1 Dedicated Transport DS1 7. Subtending Channel (23B and 1D) **DDS** Analog Trunk Port **VGPL** 9. Analog Line Port **VGPL** 10. Subtending Digital Direct Combination Trunks VGPL 11. DS3 Dedicated Transport and Loop DS₃ DS3 12. Dark Fiber DSL Loops with line sharing(ASI or 13. DSL Loops – Line Sharing SBC SNET Retail) 14. DSL Loops – No Line Sharing 6.5 Days (No Critical z value applies) 15. DSL loops with Line Splitting Parity with ASI Line Sharing or SBC SNET Retail 16. Broadband DSL – Line Sharing Parity with ASI or SBC SNET Retail 17. Broadband DSL – No Line Sharing 6.5 Days (Critical z-value does not 18. Combined voice and data—No Line Sharing 6.5 Days (Critical z-value does not apply) 19. OCN Loops Diagnostic 20. EELS Diagnostic 2 wire analog 4 wire analog 2 wire digital

Deleted: Note: The following may not represent an exhaustive list of those UNEs in the UNE price schedule. The UNEs below represent those UNEs that were in place at the time of the previous 6-month review and for which the commission has approved a retail analog or benchmark for comparison purposes.¶

Inserted: Note: The following may not represent an exhaustive list of those UNEs in the UNE price schedule. The UNEs below represent those UNEs that were in place at the time of the previous 6-month review and for which the commission has approved a retail analog or benchmark for comparison purposes.

 $\begin{array}{c} \textbf{Deleted: } \P \\ \P \end{array}$

Inserted: ¶

Deleted: a

Deleted: 8.0 dB Loop without Test Access (NFW) POTS (Res./Bus NFW)¶

Deleted: 8. Subtending Channel

Deleted: 9

Deleted: 03/13/03
Inserted: 03/13/03

Deleted: 03/12/03 **Inserted:** 03/12/03

4 wire digital

Multiplexing

Transport (DS0, DS1, DS3, OCx)

8. Measurement

Average Installation Interval - DSL

Definition:

Average business days from application date to completion date for N, T, and C orders excluding customer caused misses and customer requested due date greater than the offered interval.

Exclusions:

- Exclude orders that are not N, T, or C.
- Excludes customer requested due dates greater than the offered interval
- Excludes customer caused misses.
- Excludes Weekends and Holidays.
- Excludes expedites (less than 3 days).
- Excludes Rejects for non-conformance as to PSD masks if, and only if, the CLEC requests such qualification on the LSR
- Excludes any incremental days attributable to the CLEC after the initial SBC SNET caused delay. Does not exclude No Access attributable to the end user after the initial due date has been missed by SBC SNET.

Deleted: 03/13/03 **Inserted:** 03/13/03

Deleted: 03/12/03

Business Rules:

The Application Date is the day that the customer authorizes SBC SNET to provision the DSL based on the loop qualification. . If the CLEC uses the "onestep" process (combined loop qualification request and LSR), and the loop qualification determines that the existing loop, in its current condition, meets the CLEC's specifications, SBC SNET will initiate the service order when the loop qualification is returned from SBC SNET engineering and this date will be the application date. If the loop in its current condition does not meet the CLEC's specifications, SBC SNET will reject the LSR back to the CLEC and wait for a supplement from the CLEC notifying SBC SNET of the appropriate action to take. If the CLEC supplements the LSR to order the DSL, SBC SNET will issue the order and the application date will be the date that SBC SNET receives the supplement. If the CLEC uses the "two-step" process (loop qualification performed on a pre-order basis) or waives the loop qualification for a loop that pre-qualifies as "green," SBC SNET will issue the order upon receipt of a valid LSR and the Application Date will be the date that SBC SNET receives the valid LSR. The Completion Date is the day that SBC SNET personnel complete the service order activity. If the CLEC has requested that Cooperative Acceptance Testing be performed on the loop, the Completion Date is the day that successful Cooperative Acceptance Testing is completed. This is reported at a circuit level.

NOTE: For all of the above scenarios, the CLEC's specifications for the loop will be considered met under the following circumstances:

If the CLEC has specified "AS IS" on the initial LSR, the loop meets the CLEC's specifications if the loop qualification does not show that the end user's address is served exclusively by Digital Loop Carrier ("DLC").

If the CLEC has pre-authorized conditioning on the initial LSR, the loop meets the CLEC's specifications if the loop qualification does not show that the end user's address is served exclusively by DLC. Any load coils, repeaters and/or bridged/end tap greater than or equal to 2.5 kft, revealed on the loop qualification will be removed per the requirements of the SPEC code. If the CLEC pre-authorizes conditioning, CLEC will not have to provide an additional LSR requesting provision of the loop.

Levels of Disaggregation:

- Loops requiring no conditioning with Line Sharing
- Loops requiring conditioning with Line Sharing
- Loops requiring no conditioning with no Line-Sharing
- Loops requiring conditioning with no Line-Sharing
- Loops requiring no conditioning with Line Splitting
- Loops requiring conditioning with Line Splitting
- Broadband service product (Note: Additional disaggregations may be required as necessary in the future.

Formatted: Bullets and Numbering

Formatted

Deleted: 03/13/03 Inserted: 03/13/03 **Deleted:** 03/12/03

Calculation:	Report Structure:		
[Σ (completion date - application date)] \div (Total number of orders completed)	Reported for CLEC and all CLECs, SBC SNET or Affiliate.		
Measurement Type:			
Y2 – <u>Diagnostic</u>			Deleted: High
Y3 - <u>Diagnostic</u>			Deleted: High
Benchmark:			
 Non-Conditioned Loops with no line sharing— 5 Business Days. Critical z-value applies. Conditioned Loops with no line sharing — 10 Business Days. Critical z-value applies. 			
 Loops with line sharing – Parity with ASI or SBC SNET Retail 			
 Loops requiring no conditioning with Line Splitting - Parity with ASI Line 		4	Formatted: Bullets and Numbering
Sharing			
 Loops requiring conditioning with 1 	Line Splitting - Parity with ASI Line Sharing		

Deleted: 03/13/03

Inserted: 03/13/03

Deleted: 03/12/03

Inserted: 03/12/03

9. Measurement

Average Response Time for Manual Loop Make-Up Information

Definition:

The average time required to provide loop qualification for XDSL capable loops measured in business days.

Exclusions:

Manual requests for Loop Makeup Information not initiated by the CLEC; however, manual requests initiated by the LSC as part of the ordering process when no mechanized loop qualification data is available will be included.

Business Rules:

For an EDI/CORBA, MSAP, WCIWIN or Enhanced Verigate initiated request, the start date and time is when the request is received in the Loop Qual System. The end date and time for the EDI/CORBA, MSAP, WCIWIN or Enhanced Verigate request is when the loop makeup information has either has been e-mailed back to the CLEC or, if the CLEC does not want email, is available in the Loop Qual System.

For manual requests for Loop Makeup Information initiated by the LSC as part of the ordering process, the start date and time is the receipt date and time of the good LSR. The end date and time is when the loop makeup information is available in the Loop Qual System.

Levels of Disaggregation:

None

Trone	
Calculation:	Report Structure:
∑(Date and Time the Loop Qualification is made available to CLEC – Date and Time the CLEC request is received)/Total number of loop qualifications	CLEC, All CLECs and SBC SNET or its' affiliates (or SBC SNET acting on behalf of its' affiliates.

Measurement Type:

Y2 - Med

Y3 - Med

Benchmark:

3 business days. Critical z-value does not apply.

Deleted: DataGate/

Deleted: DataGate/

Deleted: ies

Deleted: 03/13/03

Inserted: 03/13/03

Deleted: 03/12/03

Inserted: 03/12/03

Maintenance

10a. Measurement

Percent Missed Repair Commitments - POTS

Definition:

Percent of trouble reports not cleared by the commitment time.

Exclusions:

• Excludes reports classified as excludable (Official Category (OFFCAT) greater than "1")

Business Rules:

The commitment date and time is established when the repair report is received. The cleared time is the date and time that <u>SBC SNET</u> personnel clear the repair activity and complete the trouble report. If this is after the Commitment time, the report is flagged as a 'Missed Commitment'.

Levels of Disaggregation:

POTS

- Business class of service
- Residence class of service
- Dispatch
- No Dispatch

UNE-RS

- Dispatch
- No Dispatch

Calculation:	Report Structure:
(Count of trouble reports not	Reported for CLEC, all CLECs and
cleared by the commitment time ÷	SBC SNET
total trouble reports) * 100	

Measurement Type:

Y2 - High

Y3 - High

Benchmark:

POTS – Parity with SBC SNET Retail.

UNE-RS - Parity with SBC SNET Business and Residence combined.

Deleted: 03/13/03

Inserted: 03/13/03

Deleted: 03/12/03

10b. Measurement

Percent Missed Repair Commitments - UNE

Definition

Percent of trouble reports not cleared by the commitment time for SBC SNET reasons.

Exclusions:

- Specials and Interconnection Trunks
- Excludes all UNE-RS
- Excludes trouble tickets that are coded to Customer Premise Equipment, Interexchange Carrier/Competitive Access Provider, and Informational

Business Rules:

The commitment time is defined as 24 hours for both 8.0dB loops and DSL line sharing. If the cleared date and time minus the receive date and time > 24 hours, it counts as a trouble report that missed the repair commitment. UNEs are selected based on a specific service code off of the circuit ID. (If at such time, the contractual commitment for DSL line sharing changes, this measurement will be changed to reflect the appropriate interval.)

Levels of Disaggregation:

"POTS type" loops (2-Wire Analog 8dB Loop) with test access DSL Line Sharing

Calculation:	Report Structure:
(Count of trouble reports not cleared by the commitment time for company reasons ÷ total trouble reports) * 100	Reported for each CLEC, all CLECs and SBC SNET and SWB affiliate.

Measurement Type:

Y2 - High

Y3 - High

Benchmark:

- Parity with SBC SNET POTS Business
- Parity with ASI (or SBC SNET Retail) for DSL line sharing

Inserted: 03/13/03
Deleted: 03/12/03

Inserted: 03/12/03

Deleted: 03/13/03

Measurement 11a. Percent Repeat Reports **Definition:** Percent of customer trouble reports received within X calendar days of a previous Deleted: 10 customer report, where X is 10 days for POTS, UNE-RS and 30 days for Resale Deleted: UNE-P **Exclusions:** Excludes subsequent reports. A subsequent report is one that is received while an existing repair report is open Excludes reports classified as excludable (Official Category (OFFCAT) greater **Formatted** than "1"). Stand Alone UNE and Interconnection Trunks Excludes reports caused by customer provided equipment (CPE) or wiring Interexchange Carrier/Competitive Access Provider, and Informational. **Business Rules:** Includes customer trouble reports received within 10 calendar days of an original customer report, where X is 10 days for POTS and UNE-RS and 30 days for Resale Specials. When the second report is received in X days, the original report is Deleted: 10 marked as an Original of a Repeat, and the second report is marked as a Repeat. If a third report is received within X days, the second report is marked as an Original Deleted: 10 of a Repeat as well as being a Repeat, and the third report is marked as a Repeat. In this case there would be two repeat reports. Levels of Disaggregation: POTS Business class of service Residence class of service Deleted: UNE Combo - None **UNE-RS** UNE-RS Formatted: Bullets and Numbering Resale Specials: • Resold Specials - DDS, DS1, DS3, DSL, Voice Grade Private Line (VGPL), Formatted: Bullets and Numbering ISDN - BRI, ISDN - PRI, and any other services available for resale. UNE Loop and Port - ISDN and other combinations Calculation: **Report Structure:**

Deleted: 03/13/03 Inserted: 03/13/03 Deleted: 03/12/03 Inserted: 03/12/03


Version 3.0-Redlined 07/09/03

Count of customer trouble reports,	Reported by CLEC, all CLECs and	
not caused by CPE or wiring and	SBC SNET	
excluding subsequent reports,		
received within X calendar days of a		 Deleted: 10
previous customer report, where X is		
10 days for POTS and UNE-RS and		 Deleted: UNE-P
30 days for Resale Specials ÷ total		
customer trouble reports not caused		
by CPE or wiring and excluding		
subsequent reports) * 100		
Measurement Type:		
Y2 – High		
Y3 - High		
Benchmark:		
POTS – Parity with SBC SNET Retail.		
<u>UNE-RS</u> – Parity with SBC SNET Bus	iness and Residence combined.	 Deleted: UNE Combo
		\$ Deleted: UNE-P
Resale Specials - Parity with SBC SNI	ET <u>Retail</u>	 Inserted: UNE-P

Deleted: 03/13/03 **Inserted:** 03/13/03 **Deleted:** 03/12/03

Inserted: 03/12/03

Version 3.0-Redlined 07/09/03



Deleted: ———Page Break—— 11b. Measurement

Deletada Persont Penset Penset

Deleted: Percent Repeat Reports - Design

Deleted: Definition:

Deleted: Percent of customer trouble reports received within 30 calendar days of a previous customer report.

Deleted: Exclusions:

Deleted: <#>UNE and Interconnection Trunk¶ Excludes trouble tickets that are coded to Customer Premise Equipment, Interexchange Carrier/Competitive Access Provider, and Informational

Deleted: Business Rules:

Deleted: Includes customer trouble reports received within 30 calendar days of an original customer report. When the second report is received in 30 days, the original report is marked as an Original of a Repeat, and the second report is marked as a Repeat. If a third report is received within 30 days, The second report is marked as an Original of a Repeat as well as being a Repeat, and the third report is marked as an Original of a Repeat third report is marked as a Repeat. In this case there would be two repeat reports.

Deleted: Levels of Disaggregation:

Deleted: See Measurement 4b.

Deleted: Calculation:

Deleted: Report Structure:

Deleted: Count of network customer trouble reports received within 30 calendar days of a previous customer report ÷ total network customer trouble reports) * 100

Deleted: Reported by CLEC, all

CLECs and SWBT

Deleted: Benchmark:

Deleted: Parity with SWBT Retail

Deleted: 03/13/03

Inserted: 03/13/03

Deleted: 03/12/03

11c. Measurement

Percent Repeat Reports - UNE

Definition

Percent of customer trouble reports received within 30 calendar days of a previous customer report.

Exclusions:

- Specials and Interconnection Trunks
- <u>JUNE-RS</u>s captured in the POTS or Specials measurements.
- Trouble tickets that are coded to Customer Premise Equipment, Interexchange Carrier/Competitive Access Provider, and Informational
- Loops without test access BRI
- DSL loops > 12Kf with load coils, repeaters, and/or excessive bridged tap for which the CLEC has not authorized conditioning unless coded to the Central Office.
- Trouble reports caused by lack of digital test capabilities on 2-wire and IDSL capable loops where acceptance testing is available and not selected by the CLEC.

Business Rules:

Includes customer trouble reports received within 30 calendar days of an original customer report. When the second report is received in 30 days, the original report is marked as an Original of a Repeat, and the second report is marked as a Repeat. If a third report is received within 10 days, the second report is marked as an Original of a Repeat as well as being a Repeat, and the third report is marked as a Repeat. In this case there would be two repeat reports. If either the original or the second report within 30 days is a measured report, then the second report counts as a Repeat report.

Levels of Disaggregation:

- UNEs contained in the SBC SNET CT Access Tariff, and / or agreed to by the parties.
- DSL loops with line sharing
- DSL loops with no line sharing
- DSL Loops with Line Splitting
- •
- Broadband Loops with Line Sharing
- Broadband Loops with No Line Sharing
- Combined voice and data with No Line Sharing

Comonica voice and data with the Enterning		
Calculation:	Report Structure:	
Count of customer trouble reports	Reported for CLEC, all CLECs and	
received within 30 calendar days of a	SBC SNET and affiliates where	
previous customer report ÷ total	appropriate	
customer trouble reports) * 100		
Measurement Type:		

V2 _ Hio

Y2 – High

Deleted: Excludes
Deleted: UNE Combo

Deleted: Excludes
Deleted: t

Deleted: Excludes
Deleted: I

Deleted: Excludes
Deleted: Excludes
Deleted: Excludes
Deleted: Excludes

Formatted: Bullets and Numbering

Deleted: Broadband service product

Deleted: (Note: Additional disaggregations may be required as necessary in the future

Formatted: Bullets and Numbering

Deleted: 03/13/03
Inserted: 03/13/03
Deleted: 03/12/03
Inserted: 03/12/03

Y3 - High	
Benchmark:	
Note: The following may not represent an exh	austive list of those UNEs in the SBC
SNET CT Access Tariff. The UNEs below re-	
the time of the previous 6-month review and for	
retail analog or benchmark for comparison pur	
Parity:	Retail Comparison
1. 8.0 dB Loop POTS (Bus)	
2. 5.0 dB Loop VGPL	
3. BRI Loop ISDN	
4. ISDN BRI Port	ISDN
5. DS1 LoopDS1	
6. DS1 Dedicated Transport	10%
7. Subtending Channel (23B <u>and 1D</u>)	DDS
- -	/GPL
9. Analog Line Port	VGPL
10. Subtending Digital Direct Combination Tr	
11. DS3 Dedicated Transport and Loop	10%
12. Dark Fiber	10%
13. DSL Loops – Line Sharing	DSL Loops with line sharing(ASI or
SBC SNET Retail)	(0.11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
14. DSL Loops with no Line Sharing -2.0%	
15. DSL loops with Line Splitting	Parity with ASI or SBC SNET Retail
Line Sharing	D '4 AGE CDC CNET D 4 '1
16. Broadband DSL – Line Sharing	Parity with ASI or SBC SNET Retail
17. Broadband DSL – No Line Sharing	
18. Combined voice and data – No Line Sharin	
19. INP POTS 20. OCN Loops	Res/Bus NFW
21. EELS	Diagnostic Diagnostic
	Diagnostic
• 2 wire analog	
• 4 wire analog	
• 2 wire digital	
• 4 wire digital	
Transport (DS0, DS1, DS3, OCx)	

Deleted: Note: The following may not represent an exhaustive list of those UNEs in the UNE price schedule. The UNEs below represent those UNEs that were in place at the time of the previous 6-month review and for which the commission has approved a retail analog or benchmark for comparison purposes.

Inserted: Note: The following may not represent an exhaustive list of those UNEs in the UNE price schedule. The UNEs below represent those UNEs that were in place at the time of the previous 6-month review and for which the commission has approved a retail analog or benchmark for comparison purposes.

Deleted: with Test Access and

Deleted: FW/NFW

Deleted: 8.0 dB Loop without Test Access (FW/NFW)¶

Deleted: with Test Access and ¶ 5.0 dB Loop without Test Access

Deleted: Parity with SWBT **Deleted:** with Test Access

Deleted:

Deleted: with Test Access

Deleted: DS1

Deleted: 8. Subtending Channel (1D) DDS¶

טטט (ט

Deleted: DS3

Deleted: DS3

Deleted: 12

Deleted: ¶

Formatted: Bullets and Numbering

Deleted: 03/13/03 **Inserted:** 03/13/03 **Deleted:** 03/12/03

Inserted: 03/12/03

Multiplexing

12a. Measurement

Mean Time to Restore

Definition:

Average duration in calendar days / clock hours of customer trouble reports from the receipt of the customer trouble report to the time the trouble report is cleared.

Exclusions:

- Subsequent reports. A subsequent report is one that is received while an existing repair report is open.
- Excludes reports classified as excludable (Official Category -OFFCAT greater than "1").
- UNE and Interconnection Trunks
- No Access Time (Specials Only).
- Delayed Maintenance Time (Specials Only).
- Trouble tickets that are coded to Customer Premise Equipment, Interexchange Carrier/Competitive Access Provider, and Informational (Specials Only)

Business Rules:

POTS and UNE-RS

The clock starts on the date and time <u>SBC SNET</u> receives a trouble report. The clock stops on the date and time that <u>SBC SNET</u> personnel clear the repair activity and complete the trouble report in WFA.

Specials

The start time is when the customer report is received and the stop time is when the report is closed. Specials are selected based on a specific service code off of the circuit ID.

Levels of Disaggregation:

Deleted: Excludes

Deleted: s

Formatted

Deleted: <#>¶

Inserted: <#>¶

UNE and Interconnection Trunks¶
No Access Time (Specials Only).¶
Delayed Maintenance Time (Specials

Only).¶

Trouble tickets that are coded to Customer Premise Equipment, Interexchange Carrier/Competitive Access Provider, and Informational (Specials Only)

Formatted: Bullets and Numbering

Deleted: UNE-P
Deleted: SWBT
Deleted: SWBT

Deleted: 03/13/03 **Inserted:** 03/13/03 **Deleted:** 03/12/03

POTS

- Business class of service
- Residence class of service
- Dispatch
- No Dispatch
- Affecting Service
- Out of Service (Diagnostic)

UNE-RS

- JUNE-RS Business Class of Service
- UNE-RS Residence Class of Service
- Dispatch
- No Dispatch
- Affecting Service
- Out of Service (Diagnostic)

Resale Specials:

• Resold Specials - DDS, DS1, DS3, DSL, Voice Grade Private Line (VGPL), ISDN - BRI, ISDN - PRI, and any other services available for resale.

• UNE Loop and Port - ISDN and other combinations

Calculation:	Report Structure:
Σ [(Date and time SBC SNET clears ticket with the CLEC) - (Date and time ticket received)] \div Total customer trouble reports	Reported for POTS Resale trouble reports by CLEC, all CLECs and SBC SNET

Measurement Type:

Y2 - High

Y3 - High

Benchmark:

POTS – Parity with SBC SNET Retail.

UNE-RS Business Class of Service - Parity with SBC SNET Business
UNE-RS Residence Class of Service - Parity with SBC SNET Residence.

Out of Service for POTS and <u>UNE-RS</u> will be diagnostic.

Specials - Parity with SBC SNET Retail

Deleted: UNE Combo

Inserted: UNE-P

Deleted: UNE-P

Formatted: Bullets and Numbering

Deleted: UNE-P

Formatted: Bullets and Numbering

Deleted: UNE Combo

Deleted: UNE-P
Inserted: UNE-P

Deleted: and

Deleted: UNE-P

Inserted: UNE-P

Deleted: combined

Deleted: UNE Combo


Deleted: UNE-P

Inserted: UNE-P

Deleted: 03/13/03

Inserted: 03/13/03

Deleted: 03/12/03



Deleted: 12b. Measurement

Deleted: Mean Time To Restore -Design

Deleted: Definition:

Deleted: Average duration in calendar days of customer trouble reports from the receipt of the customer trouble report to the time that the trouble report is cleared.

Deleted: Exclusions:

Deleted: <#>UNE and Interconnection Trunk¶ <#>No Access time¶

<#>Delayed Maintenance time¶ Excludes trouble tickets that are coded to Customer Premise Equipment, Interexchange Carrier/Competitive Access Provider, and Informational

Deleted: Business Rules:

Deleted: The start time is when the customer report is received and the stop time is when the report is closed in specials are selected based on specific service code off of the circuit ID. WFA. Specials are selected based on a

Deleted: Levels of Disaggregation:

Deleted: <#>Resold Specials - DDS, DS1, DS3, Voice Grade Private Line (VGPL), ISDN and any other services available for resale¶

<#> UNE Loop and Port - ISDN and $other\ combinations \P$ <#>Dispatch \P

Deleted: Calculation:

No Dispatch

Deleted: Report Structure:

Deleted: $\sum_{[(Date\ and\ time\ trouble}$ report is cleared with the customer) -(date and time trouble report is received)] ÷ total network customer trouble reports

Deleted: Reported for CLEC, all CLECs and SWBT

Deleted: Benchmark:

Deleted: Parity with SWBT Retail

Deleted: 03/13/03

Inserted: 03/13/03

Deleted: 03/12/03

12c. Measurement

Mean Time To Restore - UNE

Definition:

Average duration of network customer trouble reports from the receipt of the customer trouble report to the time the trouble report is cleared excluding no access and delayed maintenance.

Exclusions:

- Specials and Interconnection Trunks
- JUNE-RSs captured in the POTS or Specials measurements.
- Customer Premise Equipment, Interexchange Carrier/Competitive Access Provider, and Informational
- Loops without test access BRI
- DSL loops > 12Kf with load coils, repeaters, and/or excessive bridged tap (as identified on the Loop Qual) for which the CLEC has not authorized conditioning and those load coils, repeaters, and bridged taps are determined to be the cause of trouble.
- PTRs as defined in PM 115.1
- Trouble reports caused by lack of digital test capabilities on 2-wire and IDSL capable loops where acceptance testing is available and not selected by the CLEC.

•

Business Rules:

The start time is when the report is received. The stop time is the stop time is when the report is cleared in the appropriate system (WFA for all UNEs except DSL line sharing which is captured in LMOS)..

Levels of Disaggregation:

- DSL loops with line Sharing
- DSL loops with no line sharing
- DSL Loops with Line Splitting

•

- Broadband loops with Line Sharing
- Broadband loops with No Line Sharing
- Combined voice and data with No Line Sharing
- UNEs contained in the SBC SNET CT Access Tariff, and / or agreed to by the parties including INP only.
- Also disaggregated by Dispatch/No Dispatch.

Deleted: Excludes

Deleted: UNE Combo

Deleted: Excludes

Deleted: Excludes

Deleted: 1

Deleted: Excludes

Deleted: unless coded to the Central Office

Deleted: Excludes

Deleted: Excludes

Deleted: Exclude

Deleted: t

Formatted: Bullets and Numbering

Deleted: Broadband service product (Note: Additional disaggregations may be required as necessary in the future

Formatted: Bullets and Numbering

Deleted: 03/13/03

Inserted: 03/13/03

Deleted: 03/12/03

Inserted: 03/12/03

Calculation:

Report Structure:

Version 3.0-Redlined 07/09/03

Σ [(Date and time trouble report is cleared with the customer) - (date and time trouble report is received)] \div total network customer trouble reports	Reported for CLEC, all CLECs and SBC SNET and SBC SNET Affiliate
Measurement Type:	
Y2 – High	
Y3 - High	
Benchmark:	

Deleted: 03/13/03 **Inserted:** 03/13/03

Deleted: 03/12/03

Note: The following may not represent an exhaustive list of those UNEs in the SBC

SNET CT Access Tariff. The UNEs below represent those UNEs that were in place at

	aliabeth those of the that were in place at
the time of the previous 6-month review and for which the commission has approved a	
retail analog or benchmark for comparison purposes.	
Parity:	Retail Comparison
1. 8.0 dB Loop with Test Access Dispatch.	POTS (Bus FW/NFW)
v	
2. 5.0 dB Loop with Test Access Dispatch.	
2. 5.0 dB Loop with Test Access Dispatch Parity with SBC SNET VC	GPL BPL
3. BRI Loop with Test Access <u>Dispatch</u>	ISDN
4. ISDN BRI Port - Dispatch	ISDN
5. DS1 Loop with Test Access - Dispatch	DS1
6. DS1 Dedicated Transport - Dispatch	4.0 Hours
7. Subtending Channel (23B and 1D) - Dispatch	
8. DSL – Dispatch – No Line Sharing	
9 DSL – Dispatch – Line Sharing	
Retail	Turty With Fish of SBC SIVE I
10. Analog Trunk Port - Dispatch	VGPL
1. Subtending Digital Direct Combination Trunk	
12. DS3 Dedicated Transport and Loop - Dispatch	2 0 Hours
13. Dark Fiber - Dispatch	2.0 Hours
14 Analog Line Port – Dispatch	3.0 Hours VGPL
15. <u>Broadband</u> DSL <u>Dispatch</u> – <u>No</u> Line Sharing	
12. Broadband DSL Dispatch - No Line Sharing	3.0 HOULS
16. Broadband DSL Dispatch – Line Sharing Par	
17. 8.0 dB Loop with Test Access-No Dispatch	
	9.0 Hours (Critical z-
value does not apply)	5 .
19. Optical Loop – Dispatch	Diagnostic
20. 5.0 dB Loop with Test Access-No Dispatch	
21. BRI Loop with Test Access-No Dispatch	ISDN
22. ISDN BRI Port-No Dispatch	ISDN
23. DS1 Loop with Test Access-No Dispatch	
24. DS1 Dedicated Transport and Loop-No Dispa	tch <u>0.75 Hours</u>
25. ISDN/PRI - No Dispatch	DDS
26.DSL Loops-No Dispatch-No Line Sharing-9.0	Hours(Critical z-value does not
apply.)	
27. DSL Loops - No Dispatch – Line Sharing	Parity Parity
28. DSL loops with Line Splitting	
	VGPL
30. Subtending DDC Trunks-No Dispatch	VGPL
31. DS3 Dedicated Transport-No Dispatch	0.75 Hours
	0.75 Hours
33. Analog Line Port-No Dispatch	VGPL
34 Broadband DSL No Dispatch – Line Sharing	
57 Dioadoana Dob No Dispaten – Line Sharing	Tarry With AST OF SDC SINE I

Deleted: Note: The following may not represent an exhaustive list of those UNEs in the UNE price schedule. The UNEs below represent those UNEs that were in place at the time of the previous 6-month review and for which the commission has approved a retail analog or benchmark for comparison purposes.

Inserted: Note: The following may not represent an exhaustive list of those UNEs in the UNE price schedule. The UNEs below represent those UNEs that were in place at the time of the previous 6-month review and for which the commission has approved a retail analog or benchmark for comparison purposes.

Deleted: and

Deleted: 8.0 dB Loop without Test Access (FW/NFW)

Deleted: and

Deleted: 5.0 dB Loop without Test Access

Deleted: DS1

Deleted: 8. Subtending Channel

(1D) DDS¶

Deleted: 9

Deleted: 0

Deleted: 1

Deleted: DS3

Deleted: 2

Deleted: DS3

Deleted: 3

Deleted: Loops

Deleted: Parity

Deleted: Loops

Deleted: No

Deleted: 9.0 hours (No Critical z-value does not apply) \P

14. Broadband Service product (Note: Additional disaggregations may be required as necessary in the future)

Deleted:

Deleted: 03/13/03

Inserted: 03/13/03

Deleted: 03/12/03

Retail

35.Broadband DSL-No Dispatch-No Line Sharing-9.0 Hours (Critical z-value does not apply)

36. Combined voice and data – No Dispatch – No Line Sharing - 9.0 Hours (Critical z-value does not apply)

37.INP POTS Res/Bus NFW

38. Optical Loop – No DispatchDiagnostic39.EELSDiagnostic

- 2 wire analog
- 4 wire analog
- 2 wire digital
- 4 wire digital
- Transport (DS0, DS1, DS3, OCx)
- Multiplexing

Formatted: Bullets and Numbering

Deleted: 03/13/03

Inserted: 03/13/03

Deleted: 03/12/03

Inserted: 03/12/03

13a. Measurement			
Trouble Report Rate			
Definition:			
The number of electronic or manual customer trouble reports per 100 lines/Circuits			Deleted: (
for specials.			Deleted:)
Exclusions:			
	ner provided equipment (CPE) or wiring		
	udable (Official Category -OFFCAT - greater_		Formatted
than "1").	· T 1 (0 :1)		Dalata da alla g
• Stand alone UNE and Interconnect			Deleted: <#>¶
 Trouble reports coded to Customer Carrier/Competitive Access Provid 		N N	Inserted: <#>¶ Stand alone UNE and Interconnection
Business Rules:	ici, and informational	\	Trunks (Specials)¶ Trouble reports coded to Customer
	re entered into and tracked via WFA. They	, V	Premise Equipment, Interexchange
	Reports are counted in the month they post to	\ \	Carrier/Competitive Access Provider, Informational
LMOS.	topone are counted in the month they post to	,	Formatted: Bullets and Numberin
Levels of Disaggregation:			
POTS			
 Business class of service 			
 Residence class of service 			
Testactice class of service	<u>UNE-RS</u> - None		
			Deleted: UNE Combo
<u>UNE-RS</u> - None			Deleted: UNE Combo Deleted: UNE-P
<u>UNE-RS</u> - <u>None</u> <u>Resale Specials:</u>			
<u>UNE-RS</u> - None <u>Resale Specials:</u> • Resold Specials - DDS, DS1, DS3, E		*	Deleted: UNE-P
Resale Specials: Resold Specials - DDS, DS1, DS3, E ISDN - BRI, ISDN - PRI, and any or	ther services available for resale.	*	Deleted: UNE-P Inserted: UNE-P
<u>UNE-RS</u> - None <u>Resale Specials:</u> • Resold Specials - DDS, DS1, DS3, E	ther services available for resale.	*	Deleted: UNE-P Inserted: UNE-P
Resale Specials: Resold Specials - DDS, DS1, DS3, E ISDN - BRI, ISDN - PRI, and any or	ther services available for resale.	*	Deleted: UNE-P Inserted: UNE-P
<u>UNE-RS</u> - None Resale Specials: Resold Specials - DDS, DS1, DS3, E ISDN - BRI, ISDN - PRI, and any of UNE Loop and Port - ISDN and other	ther services available for resale. er combinations	*	Deleted: UNE-P Inserted: UNE-P
UNE-RS - None Resale Specials: Resold Specials - DDS, DS1, DS3, E ISDN - BRI, ISDN - PRI, and any of UNE Loop and Port - ISDN and other Calculation:	ther services available for resale. er combinations Report Structure:	*	Deleted: UNE-P Inserted: UNE-P
Resale Specials: Resold Specials - DDS, DS1, DS3, E ISDN - BRI, ISDN - PRI, and any of UNE Loop and Port - ISDN and other Calculation: [Total number of customer trouble reports ÷ (total lines/circuits ÷100)]	Report Structure: Reported for POTS Resale trouble	*	Deleted: UNE-P Inserted: UNE-P
Resale Specials: Resold Specials - DDS, DS1, DS3, E ISDN - BRI, ISDN - PRI, and any of UNE Loop and Port - ISDN and othe Calculation: [Total number of customer trouble reports ÷ (total lines/circuits ÷100)] Measurement Type:	Report Structure: Reported for POTS Resale trouble reports by CLEC, all CLECs and SBC	*	Deleted: UNE-P Inserted: UNE-P Formatted: Bullets and Numberin
Resale Specials: Resold Specials - DDS, DS1, DS3, E ISDN - BRI, ISDN - PRI, and any of UNE Loop and Port - ISDN and other Calculation: [Total number of customer trouble reports ÷ (total lines/circuits ÷100)] Measurement Type: Y2 - Diagnostic	Report Structure: Reported for POTS Resale trouble reports by CLEC, all CLECs and SBC	*	Deleted: UNE-P Inserted: UNE-P Formatted: Bullets and Numberin Deleted: High
Resale Specials: Resold Specials - DDS, DS1, DS3, E ISDN - BRI, ISDN - PRI, and any of UNE Loop and Port - ISDN and othe Calculation: [Total number of customer trouble reports ÷ (total lines/circuits ÷100)] Measurement Type: Y2 - Diagnostic Y3 - Diagnostic	Report Structure: Reported for POTS Resale trouble reports by CLEC, all CLECs and SBC	★	Deleted: UNE-P Inserted: UNE-P Formatted: Bullets and Numberin
Resale Specials: Resold Specials - DDS, DS1, DS3, E ISDN - BRI, ISDN - PRI, and any of UNE Loop and Port - ISDN and othe Calculation: [Total number of customer trouble reports ÷ (total lines/circuits ÷100)] Measurement Type: Y2 - Diagnostic Y3 - Diagnostic Benchmark:	Report Structure: Reported for POTS Resale trouble reports by CLEC, all CLECs and SBC SNET	*	Deleted: UNE-P Inserted: UNE-P Formatted: Bullets and Numberin Deleted: High
Resale Specials: Resold Specials - DDS, DS1, DS3, E ISDN - BRI, ISDN - PRI, and any of UNE Loop and Port - ISDN and othe Calculation: [Total number of customer trouble reports ÷ (total lines/circuits ÷100)] Measurement Type: Y2 - Diagnostic Y3 - Diagnostic Y3 - Diagnostic POTS - Parity with SBC SNET Retail	Report Structure: Reported for POTS Resale trouble reports by CLEC, all CLECs and SBC SNET	*	Deleted: UNE-P Inserted: UNE-P Formatted: Bullets and Numberin Deleted: High Deleted: High
Resale Specials: Resold Specials - DDS, DS1, DS3, E ISDN - BRI, ISDN - PRI, and any of UNE Loop and Port - ISDN and othe Calculation: [Total number of customer trouble reports ÷ (total lines/circuits ÷100)] Measurement Type: Y2 - Diagnostic Y3 - Diagnostic Y3 - Diagnostic Benchmark: POTS - Parity with SBC SNET Retail UNE-RS - Parity with SBC SNET Bus	Report Structure: Reported for POTS Resale trouble reports by CLEC, all CLECs and SBC SNET Siness and Residence combined.	*	Deleted: UNE-P Inserted: UNE-P Formatted: Bullets and Numberin Deleted: High
Resale Specials: Resold Specials - DDS, DS1, DS3, E ISDN - BRI, ISDN - PRI, and any of UNE Loop and Port - ISDN and othe Calculation: [Total number of customer trouble reports ÷ (total lines/circuits ÷100)] Measurement Type: Y2 - Diagnostic Y3 - Diagnostic Y3 - Diagnostic POTS - Parity with SBC SNET Retail	Report Structure: Reported for POTS Resale trouble reports by CLEC, all CLECs and SBC SNET Siness and Residence combined.	*	Deleted: UNE-P Inserted: UNE-P Formatted: Bullets and Numberin Deleted: High Deleted: High
Resale Specials: Resold Specials - DDS, DS1, DS3, E ISDN - BRI, ISDN - PRI, and any of UNE Loop and Port - ISDN and othe Calculation: [Total number of customer trouble reports ÷ (total lines/circuits ÷100)] Measurement Type: Y2 - Diagnostic Y3 - Diagnostic Y3 - Diagnostic Benchmark: POTS - Parity with SBC SNET Retail UNE-RS - Parity with SBC SNET Bus	Report Structure: Reported for POTS Resale trouble reports by CLEC, all CLECs and SBC SNET Siness and Residence combined.	*	Deleted: UNE-P Inserted: UNE-P Formatted: Bullets and Numberin Deleted: High Deleted: High
Resale Specials: Resold Specials - DDS, DS1, DS3, E ISDN - BRI, ISDN - PRI, and any of UNE Loop and Port - ISDN and othe Calculation: [Total number of customer trouble reports ÷ (total lines/circuits ÷100)] Measurement Type: Y2 - Diagnostic Y3 - Diagnostic Y3 - Diagnostic Benchmark: POTS - Parity with SBC SNET Retail UNE-RS - Parity with SBC SNET Bus	Report Structure: Reported for POTS Resale trouble reports by CLEC, all CLECs and SBC SNET Siness and Residence combined.	*	Deleted: UNE-P Inserted: UNE-P Formatted: Bullets and Numberin Deleted: High Deleted: High Deleted: UNE Combo
Resale Specials: Resold Specials - DDS, DS1, DS3, E ISDN - BRI, ISDN - PRI, and any of UNE Loop and Port - ISDN and othe Calculation: [Total number of customer trouble reports ÷ (total lines/circuits ÷100)] Measurement Type: Y2 - Diagnostic Y3 - Diagnostic Y3 - Diagnostic Benchmark: POTS - Parity with SBC SNET Retail UNE-RS - Parity with SBC SNET Bus	Report Structure: Reported for POTS Resale trouble reports by CLEC, all CLECs and SBC SNET Siness and Residence combined.	*	Deleted: UNE-P Inserted: UNE-P Formatted: Bullets and Numberin Deleted: High Deleted: High Deleted: UNE Combo Deleted: 03/13/03

07/09/03

Trouble Report Rate net of installation and repeat reports

Definition:

The number of electronic or manual customer trouble reports exclusive of installation and repeat reports within a calendar month, per 100 lines, 100 circuits.

Exclusions:

- Excludes reports caused by customer provided equipment (CPE) or wiring
- Excludes reports classified as excludable (Official Category -OFFCAT greater than "1").
- Stand alone UNE and Interconnection Trunks (Specials)
- Trouble reports coded to Customer Premise Equipment, Interexchange Carrier/Competitive Access Provider, and Informational

Business Rules:

<u>CLEC</u> and <u>SBC</u> SNET repair reports are entered into and tracked via WFA. They are downloaded nightly into LMOS. Reports are counted in the month they post to LMOS.

Levels of Disaggregation:

POTS

- Business class of service
- Residence class of service

UNE RS

• UNE RS

Resale Specials:

- Resold Specials DDS, DS1, DS3, DSL, Voice Grade Private Line (VGPL), ISDN BRI, ISDN PRI, and any other services available for resale.
- UNE Loop and Port ISDN and other combinations

[Total number of customer trouble reports less installation and repeat reports ÷ (total lines, circuits ÷100)] Reported for POTS Resale trouble reports by CLEC, all CLECs and SBC SNET.	Calculation:	Report Structure:
	reports less installation and repeat	reports by CLEC, all CLECs and SBC

Measurement Type:

 $\frac{\text{Tier } 1 - \text{High}}{\text{Tier } 2 - \text{High}}$


Benchmark:

Deleted: 03/13/03

Inserted: 03/13/03

Deleted: 03/12/03

Inserted: 03/12/03



Deleted: 03/13/03
Inserted: 03/13/03
Deleted: 03/12/03
Inserted: 03/12/03

13c. Measurement

Trouble Report Rate - UNE

Definition:

The number of customer trouble reports within a calendar month per 100 UNEs.

Exclusions:

- Specials and Interconnection Trunks
- Excludes UNE-RSs captured in the POTS or Specials measurements
- Excludes trouble tickets that are coded to Customer Premise Equipment,
 Interexchange Carrier/Competitive Access Provider, and Informational
- Excludes loops without test access BRI
- Excludes DSL loops > 12Kf with load coils, repeaters, and/or excessive bridged tap (as indicated on the Loop Qual) for which the CLEC has not authorized conditioning and those load coils, repeaters, and bridged taps are determined to be the cause of trouble.
- Excludes PTRs
- Excludes trouble reports caused by lack of digital test capabilities on 2-wire and IDSL capable loops where acceptance testing is available and not selected by the CLEC.
- UNE DS1 Loop trouble reports where CLEC chooses not to do cooperative testing or acceptance testing between CLEC and SBC due to CLEC reasons on the due date

Business Rules:

Repair reports are entered into and tracked via WFA by trouble ticket. Reports are counted in the month they post.

Levels of Disaggregation:

- UNEs contained in the SBC SNET CT Access Tariff, and / or agreed to by the parties.
- DSL loops with line sharing
- DSL loops with no line sharing
- DSL Loops with Line Splitting
- Broadband service product_

Calculation:	Report Structure:
[Count of network trouble reports ÷	Reported for CLEC, all CLECs and
(Total UNEs ÷ 100)]	SBC SNET and SBC SNET affiliates

Measurement Type:

Y2 – <u>Diagnostic</u>

Y3 - Diagnostic

Benchmark:

Deleted: UNE Combo

Deleted: unless coded to the Central Office

Formatted: Bullets and Numbering

Formatted: Bullets and Numbering

Deleted: (Note: Additional disaggregations may be required as necessary in the future

Deleted: High
Deleted: High
Deleted: 03/13/03

Inserted: 03/13/03

Deleted: 03/12/03

Inserted: 03/12/03

Version 3.0-Redlined 07/09/03

Note: The following may not represent an exhaustive list of those UNEs in the SBC SNET CT Access Tariff. The UNEs below represent those UNEs that were in place at the time of the previous 6-month review and for which the commission has approved a retail analog or benchmark for comparison purposes.

Retail Comparison Parity: 1. 8.0 dB Loop with Test Access and POTS (Bus FW/NFW) 8.0 dB Loop without Test Access (FW/NFW) 5.0 dB Loop with Test Access and 5.0 dB Loop without Test Access Parity with SBC SNET **VGPL** 3. BRI Loop with Test Access **ISDN** 4. ISDN BRI Port **ISDN** 5. DS1 Loop with Test Access DS1 6. DS1 Dedicated Transport 2.0% 7. Subtending Channel (23B and 1D) DDS 8. Analog Trunk Port **VGPL** 9. Analog Line Port **VGPL** 10. Subtending Digital Direct Combination Trunks **VGPL** 11. DS3 Dedicated Transport and Loop 2.0% 12. Dark Fiber 2.0% 13. DSL Loops – Line Sharing DSL Loops with line sharing(ASI or SBC SNET Retail) 6.0% (No Critical z-value applies) 14.DSL Loops – No Line Sharing 15. DSL loops with Line Splitting Parity with ASI or SBC SNET Retail Line Sharing 16. Broadband DSL – Line Sharing Parity with ASI or SBC SNET Retail 17. Broadband DSL – No Line Sharing 6.0% (Critical z-value does not 18. Combined voice and data – No Line Sharing 6.0% (Critical z-value does not apply) POTS (Res/Bus NFW) 19. INP 20. OCN Diagnostic 21. EELS Diagnostic • 2 wire analog • 4 wire analog • 2 wire digital • 4 wire digital • Transport (DS0, DS1, DS3, OCx) Multiplexing

Deleted: Note: The following may not represent an exhaustive list of those UNEs in the UNE price schedule. The UNEs below represent those UNEs that were in place at the time of the previous 6-month review and for which the commission has approved a retail analog or benchmark for comparison purposes.¶

Inserted: Note: The following may not represent an exhaustive list of those UNEs in the UNE price schedule. The UNEs below represent those UNEs that were in place at the time of the previous 6-month review and for which the commission has approved a retail analog or benchmark for comparison purposes.

Formatted: Bullets and Numbering Deleted: Parity: Retail Comparison¶

1. 8db loops

Parity with SWBT POTS Business¶ 2. 5.0 dB Loop with Test Access

5.0 dB Loop without Test Access

Parity with SWBT POTS Business¶ 3. BRI Loop with Test

ISDN/BRI¶ Access

4. ISDN BRI Port ISDN/BRI¶ 5. DS1 Loop with Test

Access DS1¶

6. DS1 Dedicated Transport DS1¶ 7. Subtending Channel

(23B) DDS¶

8. Subtending Channel (1D) DDS¶ VGPL¶ 9. Analog Trunk Port

DS3¶

DS3¶

10. Subtending Digital Direct Combination Trunks VGPL¶

11. DS3 Dedicated Transport 12. Dark Fiber

13. DSL Loops - Line Sharing Parity ¶

14. DSL Loops - Non-Line Sharing 3% (No Critical z-value ¶

applies¶

Broadband service product (Note: Additional disaggregations may be applied as required as necessary in the future.

Inserted: 03/13/03 **Deleted:** 03/12/03 Inserted: 03/12/03

Deleted: 03/13/03

13c.1 Measurement

Trouble Report Rate net of installation and repeat reports

Definition:

The number of customer trouble reports exclusive of installation and repeat reports within a calendar month per 100 UNEs.

Exclusions:

- Specials and Interconnection Trunks
- Excludes UNE-RSs captured in the POTS or Specials measurements
- Excludes trouble tickets that are coded to Customer Premise Equipment, Interexchange Carrier/Competitive Access Provider, and Informational
- Excludes loops without test access BRI
- Excludes DSL loops > 12Kf with load coils, repeaters, and/or excessive bridged tap (as indicated on the Loop Qual for which the CLEC has not authorized conditioning and those load coils, repeaters, and bridged taps are determined to be the cause of trouble.
- Excludes PTRs
- Excludes trouble reports caused by lack of digital test capabilities on 2-wire and IDSL capable loops where acceptance testing is available and not selected by the CLEC.
- UNE DS1 Loop trouble reports where CLEC chooses not to do cooperative testing or acceptance testing between CLEC and SBC due to CLEC reasons on the due date

Business Rules:

Repair reports are tracked by trouble ticket type. Reports are counted in the month they post.

Levels of Disaggregation:

- UNEs contained in the SBC SNET CT Access Tariff, and / or agreed to by the
- DSL loops with line sharing
- DSL loops with no line sharing
- DSL Loops with Line Splitting
- Broadband service product

Calculation:	Report Structure:
[Count of trouble reports less installation and repeat reports ÷ (Total UNEs ÷ 100)]	Reported for CLEC, all CLECs and SBC SNET and SBC SNET affiliates.
Measurement Type:	

Tier 1 – High

Tier 2 – High

Benchmark:

Note: The following may not represent an exhaustive list of those UNEs in the UNE price schedule. The UNEs below represent those UNEs that were in place at the time of the previous 6 month review and for which the commission has approved a retail analog or benchmark for comparison purposes.

Note: The following may not represent an exhaustive list of those UNEs in the SBC SNET CT Access Tariff. The UNEs below represent those UNEs that were in place at the time of the previous 6-month review and for which the commission has approved a retail analog or benchmark for comparison purposes.

Formatted

Formatted

Parity:	Retail Comparison
1. 8.0 dB Loop	Parity with SBC SNET POTS
Business	
2. 5.0 dB Loop	VGPL
3. BRI Loop	ISDN
4. ISDN BRI Port	ISDN
5. DS1 Loop	DS1
6. DS1 Dedicated Transport	2.0%
7. ISDN PRI (Subtending Channel (23B and 1D)	DDS
8. Analog Trunk Port	VGPL
9 Analog Line Port	VGPL
10. Subtending Digital Direct Combination Trunks	s VGPL
11. DS3 Dedicated Transport and Loop	2.0%
12. Dark Fiber	2.0%
13. DSL Loops – Line Sharing	Parity with ASI
14. DSL Loops – No Line Sharing	3.0% (Critical z-value does not apply.)
15. DSL loops with Line Splitting	Parity with ASI or SBC SNET
Retail Line Sharing	
16. Broadband DSL – Line Sharing	Parity with ASI or SBC SNET
Retail	
17. Broadband DSL – No Line Sharing	3.0% (Critical z-value does not apply)
18. Combined voice and data – No Line Sharing	3.0% (Critical z-value does not apply)
19. INP	POTS (Res/Bus NFW)
20. OCN Loops	Diagnostic
21. EELS	Diagnostic
• 2 wire analog	
4	

- 4 wire analog
- 2 wire digital
- 4 wire digital
- Transport (DS0, DS1, DS3, OCx)
- Multiplexing

Interconnection

Deleted with 6-month review - 2002

Deleted: 14. Measurement

Deleted: Average Trunk Restoration Interval for Service Affecting Trunk Groups

Deleted: Definition:

Deleted: The average time to restore service affecting trunk groups(measured tickets only).

Deleted: Exclusions:

Deleted: Customer Caused Outages

Deleted: Business Rules:

Deleted: Service affecting is defined as 20% of a trunk group out-of-service that causes trunk group blockage. The clock starts on receipt of a trouble ticket from the CLEC that identifies a service affecting condition. The clock stops after completion of work by SWBT.

Deleted: Levels of Disaggregation:

Deleted: <#>Tandem trunk groups.¶ <#>Non-Tandem trunk groups.¶

<#>By Market Region.¶

<#>911¶ <#>OS/DA¶ <#>SS7¶

Interconnection Trunks

Deleted: Calculation:

Deleted: Report Structure:

Deleted: Total trunk group outage time / total trunk group trouble reports

Deleted: Reported by 1CLEC, all

CLECs

Deleted: Benchmark:

Deleted: Tandem trunk groups – 1 hour / Non-Tandem – 2 hours.

Deleted: 03/13/03

Inserted: 03/13/03

Deleted: 03/12/03

15. Measurement

Percent Trunk Blockage

Definition:

Percent of calls blocked on outgoing traffic for alternate final (AF) and direct final (DF) trunk groups from SBC SNET end office to CLEC end office and from SBC SNET tandem to CLEC end office

Exclusions:

- Excludes Weekend and Holidays
- CLECs have trunks busied-out for maintenance at their end, or if they have other network problems which are under their control.
- SBC SNET is ready for turn-up on Due Date and CLEC is not ready or not available for turn-up of trunks., e.g. not ready to accept traffic from SBC SNET on the due date or CLEC has no facilities or equipment at CLEC end.
- CLEC does not take action upon receipt of Trunk Group Service Request (TGSR) or ASR within 3 business days (day 0 is the business day the TGSR when a Call Blocking situation is identified by SBC SNET or in the timeframe specified in the ICA.
- If CLEC does not take action upon receipt of TGSR within 10 business days (day 0 as described above) when a pre-service of 75% or greater occupancy situation is identified by SBC SNET for a time frame specified in the ICA.
- If CLEC fails to provide a forecast within the last six months unless a different timeframe is specified in an interconnection agreement.
- For trunks extending from the SBC SNET tandem to the CLEC end office
 designated as direct end office trunks, if CLEC's actual trunk usage for a
 market region, as shown by SBC SNET from traffic usage studies, is more than
 25% above CLEC's most recent forecast for the market region, which must
 have been provided within the last six-months unless a different timeframe is
 specified in an interconnection agreement as long as the forecasts are received
 as described in the accessible letter.
- For trunks extending from the SBC SNET end office to the CLEC end office, if CLEC's actual trunk usage for a wirecenter or end office, as shown by SBC SNET from traffic usage studies, is more than 25% above CLEC's most recent forecast for the wirecenter or end office, which must have been provided within the last six-months unless a different timeframe is specified in an interconnection agreement as long as the forecasts are received as described in the accessible letter.

The exclusions do not apply if SBC SNET fails to timely provide CLEC with traffic utilization data reasonably required for CLEC to develop its forecast or if SBC SNET refuses to accept CLEC trunk orders (ASRs or TGSRs) that are within the CLEC's reasonable forecast regardless of what the current usage data is.

Business Rules:

Twenty days of data consisting of blocked calls and total calls are collected and

Deleted: are received

Deleted: are received

Deleted: 03/13/03

Inserted: 03/13/03

Deleted: 03/12/03

Inserted: 03/12/03

Version 3.0-Redlined 07/09/03

aggregated each month.				
Levels of Disaggregation:				
The SBC SNET end office to CLEC end office and <u>SBC SNET</u> tandem to				
CLEC end office trunk blockage will be reported separately				
By Market Region				
Report Structure:				
Reported for CLEC, all CLECs and				
SBC SNET				
Measurement Type:				
Y3 - High				
Benchmark:				
Blocked calls on Dedicated Trunk Groups not to exceed blocking standard of B.01				
-				

Local Number Portability

16 Measurement

CHC/FDT LNP with Loop Provisioning Interval.

Definition:

The % of CHC/FDT LNP with Loop Lines completed by SBC SNET within the established provisioning intervals of 60 minutes (1 - 10 lines) and 120 minutes (11 - 24 lines).

Exclusions:

- CHC/FDT LNP with Loop with greater than 24 loops (including multiple LSRs totaling 25 or more lines to the same customer premise on the due date).
- CLEC caused delays (e.g., no dial tone from CLEC: CLEC translations) that do not allow SBC SNET the opportunity to complete CHC/FDT LNP with Loop within the designated interval.

•

Business Rules:

The start time is at the direction of the CLEC and based on a negotiated and scheduled time for coordinated hot cut orders (CHC) and on the frame due time for frame due time (FDT). For CHC orders, the clock starts when the CLEC calls the SBC SNET LOC to start the conversion, and ends when the SBC SNET technician completes the cross connect to the CLEC facilities and has called the CLEC to notify that the cut-over has been completed. For FDT orders, the clock starts at the frame due time and ends when the SBC SNET technician completes the cross connect to the CLEC facilities. This measurement only includes Coordinated Hot Cuts and Frame Due Time with 1-24 loops. A conversion with 25 or more lines (including multiple orders totaling 25 or more lines to the same customer premise on the same due date) is considered a project and is negotiated with the CLEC at the time of conversion.

Levels of Disaggregation:

CHC

LNP with loop

- 1- 10 lines
- 11-24 lines

LNP with DSL Compatible Loop

FDT (Diagnostic)

LNP with loop

- 1-10 lines
- 11-24 lines

Calculation:	Report Structure:			
Total CHC/FDT LNP with Loop Lines	Reported by CLEC and all CLECs.			
within the designated interval ÷ total				

Deleted: (Complete Revision of PM 16 below)

Deleted: IDLC (pair gain systems) identified on or before the due date. (Thirty calendar days after the filing of the IDLC Report as required in the Business Rule, the IDLC exclusion shall be considered deleted).

CHC/FDT LNP with Loop lines.			
Measurement Type:			
Y2 – Med			
Y3 - High			
Benchmark:			
95% Payments will be paid on the combined performance for CHC and FDT.			

Formatted: Bullets and Numbering

Deleted: 03/13/03 **Inserted:** 03/13/03

Deleted: 03/12/03

Collocation

17. Measurement

Percent Missed Collocation Due Dates

Definition:

The percent of SBC SNET caused missed due dates for Collocation projects.

Exclusions

- Exclude any applications rejected for non-payment within the times requested under tariff
- Exclude if the CLEC has not submitted their second fifty percent (50%)
 payment prior to the due date, SBC-SBC SNET will exclude the job from reporting.

Business Rules:

The clock starts when SBC SNET receives, in compliance with the approved tariff, return of proposed layout for space as specified in the application form from the CLEC. However, for purposes of the measure, once SBC SNET provides a quote to a CLEC, the application is deemed to be in compliance with the approved Tariff. The clock stops when the CLEC receives notice in writing or other method agreed to by the parties that the collocation arrangement is complete and ready for CLEC occupancy, and CFA/APOT information is available to the CLEC. If the CLEC does not accept the collocation space because the space is not complete and ready for occupancy as specified, and notifies SBC SNET of such within 5 business days, the collocation will be considered not complete and the time frame required for the CLEC to reject the collocation space (up to 5 business days) and any additional time required for SBC SNET to complete the space per the specifications will be counted as part of the interval. Any time exceeding the 5 business days will not be counted as part of the interval. Due Date Extensions will be extended when mutually agreed to by SBC SNET and the CLEC, or when a CLEC fails to complete work items for which they are responsible in the allotted time frame. However, a due date extension resulting from SBC SNET notification that it will not meet the required interval, will not be considered a change in the due date for purpose of this measure. Moreover, any change in due date requested by SBC SNET for whatever reason will not be considered to be a change in due date for purpose of this measure. A CLEC-requested extended due date will be calculated by adding to the original due date the number of calendar days that the CLEC was late in performing said work items. Work items include but are not limited to:

- CLEC return to SBC SNET corrected and complete floor plan drawings
- CLEC placement of required component(s)

If the business rules and tariff are inconsistent, the terms of the tariff will apply. <u>If inconsistencies are identified</u>, <u>SBC SNET will bring these forward for discussion at the next 6-month review</u>.

Levels of Disaggregation:

Formatted: Bullets and Numbering

Deleted: SWBT

Deleted: payment and

Deleted: and

Deleted: t

Deleted: CLEC receives

Deleted: The CLEC will then have 5 business days to accept or not accept the collocation space.

Deleted: SWBT

Deleted: SBC SNET

Inserted: SBC SNET

Deleted: SWBT

Deleted: SBC SNET
Inserted: SBC SNET

Deleted: The

Deleted: SWBT

Deleted: SBC SNET

Inserted: SBC SNET

Deleted: 03/13/03

Inserted: 03/13/03

Deleted: 03/12/03

New

Augments

Note: All approved types, e.g. Cages, Cageless, etc. are now included in these)

Deleted: Physical¶

<#>Caged¶

<#>Shared Caged¶

<#>Caged Common¶
<#>Cageless¶

<#>Adjacent On-site¶

<#>Adjacent Off-site¶

<#>Augments to Physical Collocation ¶
<#>Virtual¶

<#>Augments to Virtual.¶

Formatted: Bullets and Numbering

Calculation:	Report Structure:			
(count of number of SBC SNET	Reported for individual CLEC and all			
caused missed due dates for	CLECs and SWB affiliate.			
collocation facilities ÷ total number				
of collocation projects) * 100				

Measurement Type:

Y2 – Med

Y3 - High

Benchmark:

95% within the due date. Damages and Assessments will be calculated based on the number of days late. Critical z-value does not apply.

Billing

Deleted with the 6-month review - 2002

Deleted: 18. Measurement

Deleted: Mechanized Electronic Billing Timeliness EDI and BDT (Wholesale Bill)

Deleted: Definition:

Deleted: Mechanized Electronic Billing Timeliness measures the length of time from the billing date to the time it is sent or transmitted (made available) to the CLECs.

Deleted: Exclusions:

Deleted: Excludes Weekends and

Holidays¶

Excludes test transmissions

Deleted: Business Rules:

Deleted: The transmission date is used to gather the data for the reporting period. The measurement counts the number of workdays between the bill day and transmission date for each bill.

Deleted: Levels of Disaggregation:

Deleted: <#>EDI¶

<#>BDT¶

<#>To the extent SWBT sends bills to CLECs using other application to application processes other than EDI or BDT, SWBT will include those bills in this measure, separately disaggregated or not, as appropriate, with notice to CLECs of the change. ¶

Deleted: Calculation:

Deleted: Report Structure:

Deleted: (Count of mechanized electronic bills transmitted on time \div total number of bills released) * 100

Deleted: Reported for CLEC and all CLECs and ASI where applicable

Deleted: Benchmark:

Deleted: 95% within 6th workday. Critical z-value does not apply for EDI. Critical z-value applies for BDT.

Deleted: 03/13/03

Inserted: 03/13/03

Deleted: 03/12/03

OSS

19. Measurement
OSS Interface Availability
Definition:
Percent of time OSS interface is available compared to scheduled availability.
Exclusions:
None
Business Rules:

Deleted: 03/13/03 **Inserted:** 03/13/03 **Deleted:** 03/12/03

Deleteu: 03/12/03

The total "number of hours functionality to be available" is the cumulative number of hours (by date and time on a 24 hour clock) over which SBC plans to offer and support CLEC access to SBC's operational support systems (OSS) functionality during the reporting period. "Hours Functionality is Available" is the actual number of hours, during scheduled available time, that the SBC interface is capable of accepting or receiving CLEC transactions or data files. The actual time available is divided by the scheduled time available and then multiplied by 100 to produce the "Percent system availability" measure. SBC will not schedule normal maintenance during OSS Hours of availability as posted on the CLEC web site unless otherwise notified via an accessible letter. SBC will not schedule normal maintenance during business hours (8:00 a.m. to 5:00 p.m. Monday through Friday). When interfaces experience partial unavailability, an availability factor is applied to the calculation of downtime. This factor is stated as a percentage and represents the impact to the CLEC. Determination of the availability factor is governed by SBC's Availability Team on a case by case basis. Disputes related to application of the availability factor may be presented to the Commission. Whenever an interface experiences complete unavailability, the full duration of the unavailability will be counted, to the nearest minute, and no availability factor will be applied SBC shall calculate the availability time rounded to the nearest minute. Whenever the RAF experiences complete unavailability to a CLEC, the full duration of the unavailability will be counted, to the nearest minute and no availability factor will be applied SBC will make available to CLECs, documentation of all partial availability determination at the time of reporting affected results.

Deleted: SNET

Deleted: SNET

Deleted: SNET

Deleted: SNET

Deleted: SNET

Deleted: SNET

Deleted: to a CLEC

Deleted: SWBT

Deleted: SNET

Deleted: ¶

Deleted: SWBT

Deleted: SNET

Inserted: will make available to CLECs, documentation of all partial availability determination at the time of reporting affected results.

Deleted: 03/13/03

Inserted: 03/13/03

Deleted: 03/12/03

Levels of Disaggregation: EnhancedVerigate (interface only) **Deleted:** <#>DataGate(for non-uniform - all functions, for uniform - interface **Enhanced**LEX only)¶ **Enhanced TOOLBAR Inserted:** <#>(for non-uniform – all RAF – By CLEC functions, for uniform - interface only) EDI reported by protocol (FTP, SSL3, NDM, VAN) EDI/CORBA for Pre-Order (for non-uniform – all functions, for uniform – interface only) EBTA GUI Formatted: Bullets and Numbering • Trouble Administration(*) <#>Order Status¶ **Deleted:** Provisioning Order Status • <u>WSNAP</u> reported for Consumer and Business Formatted: Bullets and Numbering BOP GUI (Diagnostic) Deleted: EASE MSAP **WCIWIN** Deleted: Solid (*) Note: (These interfaces will be retired, but will still be reported until they are Formatted: Bullets and Numbering retired) Pre-Order Functions for uniform interfaces (four disaggregations will be reported) **CSI** Formatted: Bullets and Numbering Address Validation TN Functions LoopOual, Due Date, Dispatch, CFA, PIC/LPIC, CLLI and NC/NCI Functions Deleted: <#>¶ **Calculation: Report Structure:** ((Hours functionality is available Reported on an aggregate CLEC during the scheduled available hours basis by interface. The RAF wil be) ÷ Scheduled system available reported on an individual CLECs hours)) * 100 basis. **Measurement Type:** Y2 - MedY3 - High Benchmark: 99.5% for Interfaces, 99% for Pre-Order Functions. The critical z allowance does not apply on this measurement. No damages are applicable for <u>BOP</u> GUI. This will be reviewed in 6 months. Deleted: Solid

Interconnection

20. Measurement

Common Transport Trunk Blockage

Definition:

Percentage of local common transport trunk groups exceeding 2% blockage.

Exclusions:

No data is collected on weekends or holidays.

Business Rules:

Common transport trunk groups that reflect blocking in excess of 2% and 1% (if a separate common transport trunk group is established to carry CLEC traffic only) using a time consistent busy hour from the four most recent weeks of data.

Levels of Disaggregation:

- Common trunk groups where CLECs share ILEC trunks, and Common trunk groups for CLECs not shared by ILEC.
- By Market Region.

- j -:			
Calculation:	Report Structure:		
(Number of common transport trunk groups exceeding 2% blocking ÷ total common transport trunk groups) * 100.	Reported on local common transport trunk groups.		

Measurement Type:

Y2 - Med

Y3 - High

Benchmark:

3% of trunk groups not to exceed 2% blocking SBC SNET shall compare common trunk groups exceeding 1% blockage, reported for switch based CLECs, be compared to SBC SNET's dedicated trunk groups designed for B.01 standard for parity compliance (if a separate common transport trunk group is established to carry CLEC traffic only).

Deleted: 03/13/03
Inserted: 03/13/03
Deleted: 03/12/03

Attachment A-3

CALCULATION OF PARITY AND BENCHMARK PERFORMANCE AND VOLUNTARY PAYMENTS

I. Z-Tests

- Modified Z-tests, as outlined below, will be used to determine parity when comparing an SBC/Ameritech incumbent LEC's and the CLEC's results for the difference between two means or two percentages, or the difference in two proportions.
- The modified Z-tests are applicable if the number of data points is greater than 30 for averages or means. For measurements with less than 30 data points SBC SNET may use the permutations test or Alternative-1 described under "Qualifications to use Z-Test heading below.
- Parity exists when the measured results in a single month (whether in the form of means, percents, or proportions) for the same measurement, at equivalent disaggregation, for both SBC SNET and the CLEC are used to calculate a Z-test statistic and the resulting value is no greater than the critical Z-value as discussed below.

Deleted: SWBT

• For parity measurement results that are expressed as averages or means:

$$Z = (DIFF) / \delta_{DIFF}$$

Where;

 $DIFF = M_{ILEC} - M_{CLEC}$

 M_{ILEC} = ILEC Average

 $M_{CLEC} = CLEC$ Average

 $\delta_{\text{DIFF}} = \text{SQRT} \left[\delta^2_{\text{ILEC}} \left(1/n_{\text{CLEC}} + 1/n_{\text{ILEC}} \right) \right]$

 δ^2_{ILEC} = Calculated variance for ILEC.

 n_{ILEC} = number of observations or samples used in ILEC measurement

 n_{CLEC} = number of observations or samples used in CLEC measurement

• For benchmark measurement results that are expressed as averages or means:

$$z = (DIFF) / 1$$

Where;

 $DIFF = Benchmark - M_{CLEC}$

 $M_{CLEC} = CLEC$ Average

Deleted: 03/13/03

Inserted: 03/13/03

Deleted: 03/12/03

Inserted: 03/12/03

Version 3.0-Redlined 07/09/03

For parity measurement results that are expressed as percentages or proportions:

Step 1:

$$\rho = \frac{(n_{\text{ILEC}}P_{\text{ILEC}} + n_{\text{CLEC}}P_{\text{CLEC}})}{n_{\text{ILEC}} + n_{\text{CLEC}}}$$

Step 2:

$$\sigma_{\text{PILEC-PCLEC}} = \text{sqrt}[[\rho(1-\rho)]/n_{\text{ILEC}} + [\rho(1-\rho)]/n_{\text{CLEC}}]$$

Step 3:

$$Z = (P_{ILEC} - P_{CLEC})/\sigma_{PILEC-PCLEC}$$

Where: n = Number of Observations P = Percentage or Proportion

• For benchmark measurement results that are expressed as percentages or proportions:

$$Z = (benchmark - P_{CLEC})/1$$

Where: n = Number of Observations $P_{clec} = Percentage or Proportion for CLEC$

• For measurement results that are expressed as rates or a ratio:

$$z = (DIFF) / \delta_{DIFF}$$

Where;

 $DIFF = R_{ILEC} - R_{CLEC}$

 $R_{ILEC} = num_{ILEC}/denom_{ILEC}$

 $R_{CLEC} = num_{CLEC}/denom_{CLEC}$

 $\delta_{\text{DIFF}} = \text{SQRT} \left[R_{\text{ILEC}} \left(\frac{1}{\text{denom}_{\text{CLEC}}} + \frac{1}{\text{denom}_{\text{ILEC}}} \right) \right]$

II. Qualifications To Use Z-Test:

- The proposed Z-tests are applicable to reported measurements that contain 30 or more data points.
- For measurements where the performance delivered to CLEC is compared to SBC SNET performance and for which the number of data points are 29 or less, The following Alternative may be used:

Alternative 1:

- For measurements that are expressed as averages, performance delivered to a CLEC for each observation shall not exceed the ILEC averages plus the applicable critical Z-value. If the CLEC's performance is outside the ILEC average plus the critical Z-value and it is the second consecutive month, SBC SNET can utilize the Z-test as applicable for sample sizes 30 or greater or the permutation test to provide evidence of parity. If SBC SNET uses the Z-test for samples under 30, the CLEC can independently perform the permutation test to validate SBC SNET's results.
- 2. For measurements that are expressed as percentages, the percentage for CLEC shall not exceed ILEC percentage plus the applicable critical Z-value. If the CLEC's performance is outside the ILEC percentage plus the critical Z-value and it is the second consecutive month, SBC SNET can utilize the Z-test as applicable for sample sizes 30 or greater or the permutation test to provide evidence of parity. If SBC SNET uses the Z-test for samples under 30, the CLEC can independently perform the permutation test to validate SBC SNET's results.

Alternative 2:

Permutation analysis will be applied to calculate the z-statistic using the following logic:

- 1. Choose a sufficiently large number T.
- 2. Pool and mix the CLEC and ILEC data sets
- 3. Randomly subdivide the pooled data sets into two pools, one the same size as the original CLEC data set (n_{CLEC}) and one reflecting the remaining data points, (which is equal to the size of the original ILEC data set or n_{ILEC}).
- 4. Compute and store the Z-test score (Z_S) for this sample.
- 5. Repeat steps 3 and 4 for the remaining T-1 sample pairs to be analyzed. (If the number of possibilities is less than 1 million, include a programmatic check to prevent drawing the same pair of samples more than once).
- 6. Order the Z_S results computed and stored in step 4 from lowest to highest.
- 7. Compute the Z-test score for the original two data sets and find its rank in the ordering determined in step 6.
- 8. Repeat the steps 2-7 ten times and combine the results to determine P = (Summation of ranks in each of the 10 runs divided by 10T)
- 9. Using a cumulative standard normal distribution table, find the value Z_A such that the probability (or cumulative area under the standard normal curve) is equal to P calculated in step 8.
- 10. Compare Z_A with the desired critical value as determined from the critical Z table. If Z_A > the designated critical Z-value in the table, then the performance is non-compliant.

Deleted: 03/13/03

Inserted: 03/13/03

Deleted: 03/12/03

Inserted: 03/12/03

Version 3.0-Redlined 07/09/03

III. Critical Z-Test Value

The following table will be used for determining the Critical Z-value for each measurement. The table can be extended to include CLECs with fewer performance measurements.

Critical Z - Statistic Table

Number of	Critical Z-value					
Performance						
Measurements						
10-19	1.79					
20-29	1.73 1.68					
30-39						
40-49	1.81					
50-59	1.75					
60-69	1.7					
70 –79	1.68					
80 - 89	1.74					
90 – 99	1.71					
100 - 109	1.68					
110 –119	1.7					
120 - 139	1.72					
140 – 159	1.68					
160 - 179	1.69					
180 – 199	1.7					
200 - 249	1.7					
250 - 299	1.7					
300 - 399	1.7					
400 - 499	1.7					
500 – 599	1.72					
600 - 699	1.72					
700 – 799	1.73					
800 – 899	1.75					
900 – 999	1.77					
1000 and above	Calculated for					
	Type-1 Error					
	Probability of 5%					

IV. Methods Of Calculating Per Occurrence Voluntary Payments

Measurements For Which The Reporting Dimensions Are Averages Or Means.

- Step 1: Calculate the average or the mean for the measurement for the CLEC that would yield the Critical Z-value for the third consecutive month. Use the same denominator as the one used in calculating the Z-statistic for the measurement. (For benchmark measurements, substitute the benchmark value for the value calculated in the preceding sentences).
- Step 2: Calculate the percentage difference between the actual average and the calculated average for the third consecutive month.
- Step 3: Multiply the total number of data points by the percentage calculated in the previous step. Calculate the average for three months and multiply the result by \$1500, \$900, and \$600 for Measurements that are designated as High, Medium, and Low respectively; to determine the applicable assessment payable to the U.S. Treasury for that measure.

Measurements For Which The Reporting Dimensions Are Percentages.

- Step 1: Calculate the percentage for the measurement for the CLEC that would yield the Critical Z-value for the third consecutive month. Use the same denominator as the one used in calculating the Z-statistic for the measure. (For benchmark measurements, substitute the benchmark value for the value calculated in the preceding sentences).
- Step 2: Calculate the difference between the actual percentage for the CLEC and the calculated percentage for each of the three non-compliant months.
- Step 3: Multiply the total number of data points by the percentage calculated in the previous step. Calculate the average for three months and multiply the result by \$1500, \$900, and \$600 for measurements that are designated High, Medium, and Low respectively: to determine the applicable assessment payable to the U.S. Treasury.

Measurements For Which The Reporting Dimensions Are Ratios Or Proportions.

- Step 1: Calculate the ratio for the measurement for the CLEC that would yield the Critical Z-value for the third consecutive month. Use the same denominator as the one used in calculating the Z-statistic for the measure. (For benchmark measurements, substitute the benchmark value for the value calculated in the preceding sentences).
- Step 2: Calculate the percentage difference between the actual ratio for the CLEC and the calculated ratio for each month of the non-compliant three-month period.
- Step 3: Multiply the total number of service orders by the percentage calculated in the

previous step for each month. Calculate the average for three months and multiply the result by \$1500, \$900, and \$600 for measurements that are designated as High, Medium, and Low respectively; to determine the applicable assessment for that measure.

Measurements for Which Payment Is Per Occurrence With A Cap

Voluntary payments are calculated on a per occurrence basis in accordance with the methodologies described above and are payable up to the caps identified in Attachment A-4.

V. Methods Of Calculating Per Measurement Voluntary Payments

Per measurement voluntary payments are payable as detailed in the Voluntary Payments Table below if the actual Z-value exceeds the critical Z-value.

Deleted: 03/13/03

Inserted: 03/13/03

Deleted: 03/12/03

Inserted: 03/12/03

Version 3.0-Redlined 07/09/03

ATTACHMENT A-4

VOLUNTARY PAYMENTS TABLE FOR MEASUREMENTS

Per Occurrence

Measurement Group	
High	\$1500
Medium	\$900
Low	\$600

Per Measurement/Per Occurrence Caps

Measurement Group	
High	\$225,000
Medium	\$90,000
Low	\$60,000

Deleted: 03/13/03

Inserted: 03/13/03

Deleted: 03/12/03

Inserted: 03/12/03

Version 3.0-Redlined 07/09/03

ATTACHMENT A-5a

SBC/AMERITECH MEASUREMENT LIST (EXCEPT CALIFORNIA AND NEVADA)

Deleted: 03/13/03

Inserted: 03/13/03

Deleted: 03/12/03

Inserted: 03/12/03

Version 3.0-Redlined 07/09/03

J	ersion	3.0	SRC	/SNFT	FCC 2	20 B	usiness	Rules
7	CISIOII	5.0	obc	SINE	TUU	4U D	usincss	ruics

			EMENT LIST (EXCEPT CALIFORNIA AND NE	/ADA)			
	FPP	Benchmark/ Parity	Measurement Name				Pay
				Y1	Y2	Y3	
oss	1	В	% FOC received in 'X' hours	М	М	М	occur/cap
	2	В	Average Response Time for OSS preorder interfaces	М	М	М	occur/cap
	3	Р	Order Process Percent Flow Through	Н	Н	Н	occur/cap
Provisioning	4a	Р	% SBC caused missed due dates - POTS	Н	Н	Н	occur
	4b	Р	% <u>SBC SNET</u> caused missed due dates - Design	_H_	_ <u>H</u> _	_ <u>H</u>	occur
	4c	Р	% SBC SNET caused missed due dates	Н	Н	Н	occur
	4d	В	% Mechanized Completions Returned Within one Day Of Work Completion	L	L	L	occur
	5a	Р	Percent Trouble Report Within 10 Days (I-10) of Installation – POTS	Н	Н	Н	occur
	5b	Р	Percent Installation Reports (Trouble Reports) Within 30 Days (I-30) of Installation - Design	Н	Н	Н	occur
	5c	Р	Percent Installation Reports (Trouble Reports) Within 30 Days (I-30) of Installation - UNE	Н	Н	Н	occur
	6a	Р	Mean Installation Interval - POTS	Н	Н	Н	occur
	6b	Р	Average Installation Interval - POTS	Н	Н	Н	occur
	6c	В	% Installation completed in 'X' days - UNE	М	Н	Н	occur
	7a	Р	Average Delay Days For SBC SNET Caused Missed Due Dates – POTS	_ <u>L</u> _	_ <u>L</u>	_ <u>L</u>	occur
	7b	Р	Average Delay Days For SBC SNET Caused Missed Due Dates – Design	_ <u>L</u> _	_ L	_ L	occur
	7c	Р	Average Delay Days For SBC SNET Caused Missed Due Dates – UNE	_ <u>L</u> _	_ <u>L</u> _	_ <u>L</u>	occur
	8	Р	Average installation interval - DSL	Н	Н	Н	occur
	9	Р	Average response time for loop qualification information	М	М	М	occur
/laintenance	10a		Percent Missed Repair Commitments - POTS	Н	Н	Н	occur
	10b		Percent Missed Repair Commitments - UNE	Н	Н	Н	occur
	11a		Percent Repeat Reports - POTS	Н	Н	Н	occur
	11b		Percent Repeat Reports - Design	Н	Н	Н	occur
	11c	Р	Percent Repeat Reports - UNE	Н	Н	Н	occur
	12a	Р	Receipt To Clear Duration - POTS	Н	Н	Н	occur
	12b		Mean Time To Restore - Design	Н	Н	Н	occur
	12c	Р	Mean Time To Restore - UNE	Н	Н	Н	occur
	13a	Р	Trouble Report Rate - POTS	Н	Н	Н	occur
	13b		Failure Frequency – Design	L	L	L	occur
	13c	Р	Trouble Report Rate - UNE	Н	Н	Н	occur
nterconnection	14		Average Trunk Restoration Interval for Service Affecting Trunk Groups	М	М	Н	occur
	15	В	Percent Trunk Blockage	М	Н	Н	occur/cap
_ocal Number	16	В	% Pre-mature Disconnects (Coordinated	М	М	Н	occur
Portability			Cutovers)				
Collocation	17	В	% missed collocation due date	М	М	Н	occur
Billing	40	P	Dilling Timeliness	N A	D 4	LI	000::-100:-
oming .	18	В	Billing Timeliness	М	M	Н	occur/cap
oss	19	В	OSS Interface Availability	М	М	Н	meas

Deleted: SWBT

Deleted: SWBT

Deleted: SWBT

Deleted: SWBT

Deleted: SWBT

Deleted: 03/13/03 **Inserted:** 03/13/03 **Deleted:** 03/12/03

Inserted: 03/12/03

Version 3.0-Redlined <u>07/09/03</u>

Interconnection	20	В	Common Transport Trunk Blockage	M	M	Н	meas
-----------------	----	---	---------------------------------	---	---	---	------

Deleted: 03/13/03

Inserted: 03/13/03

Deleted: 03/12/03

ATTACHMENT A-6

YEAR 1

CAPS (\$M)

State	Annual	Monthly
Arkansas	\$ 4.16	\$ 0.35
California	\$ 79.01	\$ 6.58
Connecticut	\$ 9.56	\$ 0.80
Illinois	\$ 30.41	\$ 2.53
Indiana	\$ 9.71	\$ 0.81
Kansas	\$ 5.89	\$ 0.49
Michigan	\$ 23.55	\$ 1.96
Missouri	\$ 10.87	\$ 0.91
Nevada	\$ 1.54	\$ 0.13
Ohio	\$ 17.81	\$ 1.48
Oklahoma	\$ 7.05	\$ 0.59
Texas	\$ 40.99	\$ 3.41
Wisconsin	\$ 9.45	\$ 0.79
	\$250.00	\$ 20.83

ATTACHMENT A-6 (cont'd)

YEAR 2

CAPS (\$M)

<u>State</u>	<u>Annual</u>	Monthly
Arkansas	\$ 6.24	\$ 0.52
California	\$ 118.51	\$ 9.88
Connecticut	\$ 14.34	\$ 1.20
Illinois	\$ 45.62	\$ 3.80
Indiana	\$ 14.57	\$ 1.21
Kansas	\$ 8.83	\$ 0.74
Michigan	\$ 35.32	\$ 2.94
Missouri	\$ 16.31	\$ 1.36
Nevada	\$ 2.31	\$ 0.19
Ohio	\$ 26.72	\$ 2.23
Oklahoma	\$ 10.57	\$ 0.88
Texas	\$ 61.48	\$ 5.12
Wisconsin	<u>\$ 14.18</u>	\$ 1.18
	\$ 375.00	\$ 31.25

ATTACHMENT A-6 (cont'd)

YEAR 3

<u>CAPS (\$M)</u>

<u>State</u>	Annual	Monthly
Arkansas	\$ 8.32	\$ 0.69
California	\$ 158.02	\$ 13.17
Connecticut	\$ 19.12	\$ 1.59
Illinois	\$ 60.82	\$ 5.07
Indiana	\$ 19.42	\$ 1.62
Kansas	\$ 11.78	\$ 0.98
Michigan	\$ 47.10	\$ 3.93
Missouri	\$ 21.75	\$ 1.81
Nevada	\$ 3.08	\$ 0.26
Ohio	\$ 35.62	\$ 2.97
Oklahoma	\$ 14.10	\$ 1.18
Texas	\$ 81.97	\$ 6.83
Wisconsin	<u>\$ 18.90</u>	\$ 1.57
	\$ 500.00	\$ 41.67

